

Compliant with Excellence

Promed Supply Co., Ltd



☎ Tel: (852)2420 9024

☎ Fax: (852)3914 7034

🌐 www.the-promed.com

✉ info@the-promed.com

📍 Flat A,10/F, Mai Wah Ind. Bldg.,1-7 Wah sing st., Kwai chung,Hong Kong

PROMED MEDICAL

Precision | Innovation | Trust

Delivering Globally Reliable
Electrosurgical Solutions

PROMED
Professionals In Medical Equipment & Device


TABLE OF CONTENTS



GENERAL SURGERY SOLUTION

Essential tools for open procedures in various surgical environments.


• Disposable & Reusable Electrosurgical Pencil	01
• Reusable Bipolar Forceps	05
• Disposable General Electrode	09
• Disposable Microfin Electrode	13
• Disposable Micro Needle Electrode	17
• Disposable Laparoscopic Electrode	23
• Disposable Laparoscopic Instrument	27
• Disposable Suction Coagulators & Irrigator	29
• Disposable Ground Pad & Cable	31
• Disposable Skin Stapler	35
• Disposable Skin Stapler Remover	36
• Disposable Smoke Evacuation Pencil	37
• Disposable Smoke Evacuation Forceps	39



AESTHETIC, DERMATOLOGY & ENT SOLUTION

High-precision devices for delicate areas and aesthetic procedures.

• Disposable & Reusable Electrosurgical Pencil	41
• Reusable Bipolar Forceps	45
• Disposable General Electrode	49
• Disposable Microfin Electrode	53
• Disposable Micro Needle Electrode	57
• Disposable Suction Coagulators & Irrigator	63
• Disposable Ground Pad & Cable	65
• Disposable Skin Stapler	69
• Disposable Skin Stapler Remover	70
• Disposable Smoke Evacuation Pencil	71
• Disposable Smoke Evacuation Forceps	73



LAPAROSCOPIC SURGERY SOLUTION

Abdominal Surgery, Gastroenterology, Hepatobiliary Surgery, Urology

• Disposable & Reusable Electrosurgical Pencil	75
• Disposable Laparoscopic Electrode	79
• Disposable Laparoscopic Instrument	83
• Disposable Suction Coagulators & Irrigator	85
• Disposable Ground Pad & Cable	87
• Disposable Skin Stapler	91
• Disposable Skin Stapler Remover	92
• Disposable Smoke Evacuation Pencil	93
• Disposable Smoke Evacuation Forceps	95



GYNECOLOGY & WOMEN'S HEALTH SOLUTION

Electrosurgical solutions tailored for OB/GYN and cervical treatments

• Disposable & Reusable Electrosurgical Pencil	97
• Reusable Bipolar Forceps	101
• Disposable General Electrode	105
• Disposable LLETZ Electrode	109
• Disposable Microfin Electrode	111
• Disposable Micro Needle Electrode	115
• Disposable Laparoscopic Electrode	121
• Disposable Laparoscopic Instrument	125
• Disposable Suction Coagulators & Irrigator	127
• Disposable Ground Pad & Cable	129
• Disposable Skin Stapler	133
• Disposable Skin Stapler Remover	134
• Disposable Smoke Evacuation Pencil	135
• Disposable Smoke Evacuation Forceps	137



ORTHOPEDIC SURGERY SOLUTION

Electrosurgical support in joint and bone procedures

• Disposable & Reusable Electrosurgical Pencil	139
• Disposable General Electrode	143
• Disposable Arthroscopic Electrode	147
• Disposable Suction Coagulators & Irrigator	149
• Disposable Ground Pad & Cable	151
• Disposable Skin Stapler	155
• Disposable Skin Stapler Remover	156
• Disposable Smoke Evacuation Pencil	157
• Disposable Smoke Evacuation Forceps	159



NEUROSURGERY SOLUTION

High-precision and low-damage tools for neurological operations

• Disposable & Reusable Electrosurgical Pencil	161
• Reusable Bipolar Forceps	165
• Disposable Suction Coagulators & Irrigator	169
• Disposable Ground Pad & Cable	171
• Disposable Skin Stapler	175
• Disposable Skin Stapler Remover	176
• Disposable Smoke Evacuation Pencil	177
• Disposable Smoke Evacuation Forceps	179



Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.

Lightweight, compact design for easy handling and reduced fatigue.

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.

PD833W - Ø 1.6MM

PD833 - Ø 2.36MM

*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug



Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug

GENERAL SURGERY SOLUTION

Reusable Bipolar Forceps

Durable Precision For Bipolar Coagulation



Promed's Reusable Bipolar Forceps are available in a variety of lengths, tip sizes, and designs, including Bayonet, Jewelers, Adson, and Straight, to suit diverse surgical needs.

Engineered for optimal performance, the polished stainless-steel tips reduce eschar buildup, ensuring smooth operation. The ergonomic, balanced handles minimize hand fatigue, enhancing comfort and precision. Designed for durability, they withstand up to 20 autoclave cycles.



Polished Stainless Steel Tips

Secure grasping and coagulation at lower power, reducing tissue damage and eschar buildup.

Insulated Stainless Steel Body

Prevents electrical leakage for enhanced safety.

Precise Handle Spring Tension

Ensuring consistent dissection pressure and maintaining accurate tip alignment.

Platform-Like Tip Design

Increases resistance and enhances coagulation with controlled heat.


Ergonomic, Well-Balanced Handles

Provides balance and comfort reducing hand fatigue.

STYLE	LENGTH(MM)	TIP WIDTH (MM)
Bayonet Straight	180/200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Down	200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Up	200/220/240MM	0.5/1.0/2.0MM
Straight	140/180/200/220/240MM	0.5/1.0/2.0MM
Adson	130MM	0.5/1.0MM
Jeweler	110MM	0.5MM

Straight Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non-sterile, 1 each per pack



FST0205, Length 200mm, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight Tip, 2 Pins Connector					
0.5MM	FST0145	FST0185	FST0205	/	/
1.0MM	FST0141	FST0181	FST0201	FST0221	FST0241
2.0MM	FST0142	FST0182	FST0202	FST0222	FST0242
Straight Tip, Flat Connector					
0.5MM	FST1145	FST1185	FST1205	/	/
1.0MM	FST1141	FST1181	FST1201	FST1221	FST1241
2.0MM	FST1142	FST1182	FST1202	FST1222	FST1242



FAG0205, Length 200mm, Straight, Angled Tip, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight, Angled Tip, 2 Pins Connector					
0.5MM	/	FAG0185	FAG0205	/	/
1.0MM	/	FAG0181	FAG0201	FAG0221	FAG0241
2.0MM	/	FAG0182	FAG0202	FAG0222	FAG0242
Straight, Angled Tip, Flat Connector					
0.5MM	/	FAG1185	FAG1205	/	/
1.0MM	/	FAG1181	FAG1201	FAG1221	FAG1241
2.0MM	/	FAG1182	FAG1202	FAG1222	FAG1242

Bayonet Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



FBD0205, Length 200mm, Bayonet, Angled Down, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Down, 2 Pins Connector					
0.5MM	/	/	FBD0205	FBD0225	/
1.0MM	/	/	FBD0201	FBD0221	FBD0241
2.0MM	/	/	FBD0202	FBD0222	/
Bayonet, Angled Down, Flat Connector					
0.5MM	/	/	FBD1205	FBD1225	/
1.0MM	/	/	FBD1201	FBD1221	FBD1241
2.0MM	/	/	FBD1202	FBD1222	/



FBS0205, Length 200mm, Bayonet, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Straight Tip, 2 Pins Connector					
0.5MM	/	FBS0185	FBS0205	FBS0225	FBS0245
1.0MM	/	FBS0181	FBS0201	FBS0221	FBS0241
2.0MM	/	FBS0182	FBS0202	FBS0222	/
Bayonet, Straight Tip, Flat Connector					
0.5MM	/	FBS1185	FBS1205	FBS1225	FBS1245
1.0MM	/	FBS1181	FBS1201	FBS1221	FBS1241
2.0MM	/	FBS1182	FBS1202	FBS1222	/




FBU0205, Length 200mm,Bayonet, Angled Up, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Up, 2 Pins Connector					
0.5MM	/	/	FBU0205	FBU0225	/
1.0MM	/	/	FBU0201	FBU0221	FBU0241
2.0MM	/	/	FBU0202	FBU0222	/
Bayonet, Angled Up, Flat Connector					
0.5MM	/	/	FBU1205	FBU1225	/
1.0MM	/	/	FBU1201	FBU1221	FBU1241
2.0MM	/	/	FBU1202	FBU1222	/

Jewelers Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack




MJE0115,Length 110mm, Jewelers,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	110MM
Jeweler, 2 Pins Connector 	
0.5MM	MJE0115
1.0MM	/
Jeweler, Flat Connector 	
0.5MM	MJE1115
1.0MM	/

Adson Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



MAD0135,Length 130mm, Adson,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)	
	130MM	
Adson, 2 Pins Connector		
0.5MM	MAD0135	
1.0MM	MAD0131	
Adson, Flat Connector		
0.5MM	MAD1135	
1.0MM	MAD1131	

General Disposable Electrode

Safe & Efficient Energy Transmission



Promed's disposable electrosurgical electrodes—offered in blade, needle, and ball shapes—deliver precise cutting and coagulation. Available in various lengths with stainless steel or Teflon-coated shafts, and in over-molded or shrink-wrapped designs, they are fully compatible with standard monopolar pencils, ensuring accuracy, control, and dependable performance in every procedure.



Overmold with Hex without Hex collar



Hex Collar with Shrink Wrap



Hex Collar with Shrink Wrap (High Insulation)



Shrink Wrap



Shrink Wrap (High Insulation)



Optional Finishing for Disposable Electrode



Stainless Steel



Teflon Coated

Disposable Blade Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Blade			
	69MM	EB22M2	EB22M2T
	153MM	EB26M2	EB26M2T
Hex Collar with Shrink Wrap			
	102MM	EB24P2	EB24P2T
	152MM	EB26P2	EB26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EB22S2	EB22S2T
	102MM	EB24S2	EB24S2T
	152MM	EB26S2	EB26S2T
Shrink Wrap			
	69MM	EB22M2-H	EB22M2T-H
	102MM	EB24M2-H	EB24M2T-H
	152MM	EB26M2-H	EB26M2T-H
Shrink Wrap, High Insulation			
	69MM	EB22S2-H	EB22S2T-H
	102MM	EB24S2-H	EB24S2T-H
	152MM	EB26S2-H	EB26S2T-H

Disposable Needle Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box




		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Needle			
	69MM	EN22M2	EN22M2T
	153MM	EN26M2	EN26M2T
Hex Collar with Shrink Wrap			
	102MM	EN24P2	EN24P2T
	152MM	EN26P2	EN26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EN22S2	EN22S2T
	102MM	EN24S2	EN24S2T
	152MM	EN26S2	EN26S2T
Shrink Wrap			
	69MM	EN22M2-H	EN22M2T-H
	102MM	EN24M2-H	EN24M2T-H
	152MM	EN26M2-H	EN26M2T-H
Shrink Wrap, High Insulation			
	69MM	EN22S2-H	EN22S2T-H
	102MM	EN24S2-H	EN24S2T-H
	152MM	EN26S2-H	EN26S2T-H

Disposable Ball Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



			PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Ball				
	3MM	69MM	ES22M3	ES22M3T
	5MM	71MM	ES22M4	ES22M4T
	3MM	133MM	ES26M3	ES26M3T
	5MM	136MM	ES26M4	ES26M4T
Hex Collar with Shrink Wrap				
	3MM	69MM	ES22S3	ES22S3T
	5MM	71MM	ES22S4	ES22S4T
	3MM	102MM	ES24S3	ES24S3T
	5MM	107MM	ES24S4	ES24S4T
	3MM	134MM	ES26S3	ES26S3T
	5MM	136MM	ES26S4	ES26S4T
Shrink Wrap				
	3MM	69MM	ES22M3-H	ES22M3T-H
	5MM	71MM	ES22M4-H	ES22M4T-H
	3MM	101MM	ES24M3-H	ES24M3T-H
	5MM	107MM	ES24M4-H	ES24M4T-H
	3MM	134MM	ES26M3-H	ES26M3T-H
	5MM	136MM	ES26M4-H	ES26M4T-H

Microfin Disposable Electrode

Micro-Level Accuracy For Delicate Procedures







The Disposable Microfin Electrode is engineered for precision and performance across multiple specialties, including Aesthetic & Dermatologic Surgery (Skin Lesion Removal, Scar Revision), ENT (Nasal Polyp Excision), and Dentistry (Gingival Sculpting) etc.

Its ultra-fine design allows for exceptional control in delicate procedures, while broad compatibility with electrosurgical systems ensures minimal tissue damage and reduced thermal spread - enhancing both safety and surgical outcomes.

MicroFin



 Round Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM • Ø 13MM	 Triangle Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	 Diamond Loop Electrode Available Size • Ø 3MM • Ø 5MM • Ø 8MM
 Ball Electrode Available Size • Ø 2.3MM • Ø 4.3MM	 Needle Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	 Blade Electrode Available Size • Ø 25MM

Micro Precision. Maximum Performance



Ultra-Precision Design

- **Equipped with 0.2MM fine tungsten wire tip** for ultra-precise incisions, minimizing scarring and thermal spread.
- Ideal for dermatology, cosmetic surgery, dentistry, and ENT applications.



Safety & Sterility

- Gold-plated copper provides excellent **conductivity, corrosion resistance**, and a non-stick surface for optimal performance.
- Pre-sterilized, single-use design ensures safety and minimizes cross-contamination risk.



Flexible & Adaptable

- **Gold-plated copper base** allows for manual bending.
- Adapting easily to anatomical contours for clean, precise cuts with minimal tissue trauma.



Variety of Options

- **Multiple tip options** - loop, ball, needle, and blade - to suit diverse clinical applications.
- Available in Ø1.6mm and Ø2.36mm shaft diameters.
- Compatible with most ESU generators for cutting and coagulation.

Microfin Blade Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1B2S	Disposable Microfin Blade Electrode	1.6MM	25MM
EM2B2S	Disposable Microfin Blade Electrode	2.36MM	25MM

Microfin Ball Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	BALL DIAMETER(MM)
EM1S2A	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2A	Disposable Microfin Ball Electrode	2.36MM	4.3MM
EM1S2P	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2P	Disposable Microfin Ball Electrode	2.36MM	4.3MM

Microfin Bend Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1BR2R	Disposable Microfin Bend Needle Electrode	1.6MM	10MM
EM2BR2R	Disposable Microfin Bend Needle Electrode	2.36MM	10MM

Microfin Bend Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1BR2R	Disposable Microfin Tungsten Wire Needle Electrode	1.6MM	10MM
EL2BR2R	Disposable Microfin Tungsten Wire Needle Electrode	2.36MM	10MM

Microfin Fine Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	1.6MM	10MM
EL2WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	2.36MM	10MM

Microfin Round Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	4MM
EL2R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	4MM
EL1R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	7MM
EL2R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	7MM
EL1R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	10MM
EL2R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	10MM
EL1R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	13MM
EL2R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	13MM

Microfin Diamond Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	3MM
EL2D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	3MM
EL1D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	5MM
EL2D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	5MM
EL1D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	8MM
EL2D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	8MM

Microfin Triangle Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	4MM
EL2T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	4MM
EL1T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	7MM
EL2T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	7MM
EL1T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	10MM
EL2T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	10MM

Disposable Micro Needle Electrode

Needle Sharp Precision For Fine Electrosurgical Work



Promed's MicroFin Needle Electrode offers a variety of configurations for different surgical procedures. Its ultra-sharp design, combined with fine tungsten wire, ensures precise control and minimizes tissue damage during accurate dissection. The fine needle tip concentrates electrosurgical energy, maintaining sharpness and allowing for lower power settings.





MicroFin

Ø1.6 MM , Ø2.36 MM available

Various Electrode length 50 / 60 / 102 / 152MM

Needle shaft size Ø0.3MM , Ø0.5MM , Ø0.7MM available



Universal Compatibility:

Designed for seamless integration with most standard electrosurgical handpieces.

Ultra-Fine Tungsten Alloy Tip:

Crafted from high heat-resistant tungsten alloy, the Ø0.032MM ultra-sharp, highly polished needle maintains its sharpness even under intense operating conditions.

Enhanced Safety Design:

Equipped with precision shrink wrap insulation to minimize the risk of unintended electrical contact.

Energy Efficient:

The superior conductivity of the tungsten tip allows for effective performance at lower power settings, reducing thermal damage to surrounding tissue

Disposable MicroFin Needle Electrode - Straight Tip

- Tungsten Wire , Ultra Sharp, Straight Tip
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
50MM	EM2305-1	EM2505-1	EM2705-1
60MM	EM2306-1	EM2506-1	EM2706-1
70MM	EM2307-1	EM2507-1	EM2707-1
102MM	EM2310-1	EM2510-1	EM2710-1
152MM	EM2315-1	EM2515-1	EM2715-1
Post Diameter 1.6MM		PRODUCT CODE	
50MM	EM1305-1	EM1505-1	EM1705-1
60MM	EM1306-1	EM1506-1	EM1706-1
70MM	EM1307-1	EM1507-1	EM1707-1
102MM	EM1310-1	EM1510-1	EM1710-1
152MM	EM1315-1	EM1515-1	EM1715-1

Disposable MicroFin Needle Electrode - Straight Tip With Hex Lock

- Tungsten Wire , Ultra Sharp, Straight Tip, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-1H	EM2510-1H	EM2710-1H
152MM	EM2315-1H	EM2515-1H	EM2715-1H

Disposable MicroFin Needle Electrode - 45° Angled, 3MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
50MM	EM2305-2	EM2505-2	EM2705-2
60MM	EM2306-2	EM2506-2	EM2706-2
70MM	EM2307-2	EM2507-2	EM2707-2
102MM	EM2310-2	EM2510-2	EM2710-2
152MM	EM2315-2	EM2515-2	EM2715-2
Post Diameter 1.6MM		PRODUCT CODE	
50MM	EM1305-2	EM1505-2	EM1705-2
60MM	EM1306-2	EM1506-2	EM1706-2
70MM	EM1307-2	EM1507-2	EM1707-2
102MM	EM1310-2	EM1510-2	EM1710-2
152MM	EM1315-2	EM1515-2	EM1715-2

Disposable MicroFin Needle Electrode - 45° Angled, 3MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-2H	EM2510-2H	EM2710-2H
152MM	EM2315-2H	EM2515-2H	EM2715-2H

Disposable MicroFin Needle Electrode - 45° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-3	EM2506-3	EM2706-3
70MM	EM2307-3	EM2507-3	EM2707-3
102MM	EM2310-3	EM2510-3	EM2710-3
152MM	EM2315-3	EM2515-3	EM2715-3
Post Diameter 1.6mm		PRODUCT CODE	
60MM	EM1306-3	EM1506-3	EM1706-3
70MM	EM1307-3	EM1507-3	EM1707-3
102MM	EM1310-3	EM1510-3	EM1710-3
152MM	EM1315-3	EM1515-3	EM1715-3

Disposable MicroFin Needle Electrode - 90° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-4	EM2506-4	EM2706-4
70MM	EM2307-4	EM2507-4	EM2707-4
102MM	EM2310-4	EM2510-4	EM2710-4
152MM	EM2315-4	EM2515-4	EM2715-4
Post Diameter 1.6MM		PRODUCT CODE	
60MM	EM1306-4	EM1506-4	EM1706-4
70MM	EM1307-4	EM1507-1	EM1707-4
102MM	EM1310-4	EM1510-1	EM1710-4
152MM	EM1315-4	EM1515-1	EM1715-4

Disposable MicroFin Needle Electrode - 45° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-3H	EM2510-3H	EM2710-3H
152MM	EM2315-3H	EM2515-3H	EM2715-3H

Disposable MicroFin Needle Electrode - 90° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box




NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-4H	EM2510-4H	EM2710-4H
152MM	EM2315-4H	EM2515-4H	EM2715-4H

Disposable Laparoscopic Electrode

Reliable Energy For Minimally Invasive Surgery



Promed Supply offers high-quality disposable monopolar laparoscopic electrodes for enhanced safety in minimally invasive surgeries. With various tip styles and stainless steel or Teflon coatings, they provide versatile options for surgeons and fit standard electrosurgery pencils.



- **Shaft diameter:** Ø2.36mm or Ø4mm, fit most electrosurgery pencils
- **Electrode diameter:** Ø5mm
- **Length:** 33cm or 45cm
- **Tip styles:** L-Wire, L-Hook, J-Wire, J-Hook, Needle, Blade, Ball, etc.
- **Finishing:** Stainless Steel or Non Stick PTFE Teflon Coated

Optional Finishing




Stainless Steel



Teflon Coated

33cm, Ø2.36mm Shaft, L Wire Electrode



45cm, Ø4mm Shaft, Needle Electrode

Disposable Laparoscopic Electrode, 33cm

- Shaft Length 33CM
- Packaged Sterile, 6pcs per Box



PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -33MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW33S2	LE-LW33T2
		Ø4.0MM	LE-LW33S4	LE-LW33T4
	L-Hook	Ø2.36MM	LE-LH33S2	LE-LH33T2
		Ø4.0MM	LE-LH33S4	LE-LH33T4
	J-Wire	Ø2.36MM	LE-JW33S2	LE-JW33T2
		Ø4.0MM	LE-JW33S4	LE-JW33T4
	J-Hook	Ø2.36MM	LE-JH33S2	LE-JH33T2
		Ø4.0MM	LE-JH33S4	LE-JH33T4
	Round Wire	Ø2.36MM	LE-RW33S2	LE-RW33T2
		Ø4.0MM	LE-RW33S4	LE-RW33T4
	Ball	Ø2.36MM	LE-BA33S2	LE-BA33T2
		Ø4.0MM	LE-BA33S4	LE-BA33T4
	Needle	Ø2.36MM	LE-NE33S2	LE-NE33T2
		Ø4.0MM	LE-NE33S4	LE-NE33T4
	Concial Needle Tip	Ø2.36MM	LE-CN33S2	LE-CN33T2
		Ø4.0MM	LE-CN33S4	LE-CN33T4
	Blade	Ø2.36MM	LE-BL33S2	LE-BL33T2
		Ø4.0MM	LE-BL33S4	LE-BL33T4
	Curve Spatula	Ø2.36MM	LE-SP33S2	LE-SP33T2
		Ø4.0MM	LE-SP33S4	LE-SP33T4
	Round Spatula	Ø2.36MM	LE-RS33S2	LE-RS33T2
		Ø4.0MM	LE-RS33S4	LE-RS33T4

Disposable Laparoscopic Electrode, 45cm

- Shaft Length 45CM
- Packaged Sterile, 6pcs per Box





PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -45MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW45S2	LE-LW45T2
		Ø4.0MM	LE-LW45S4	LE-LW45T4
	L-Hook	Ø2.36MM	LE-LH45S2	LE-LH45T2
		Ø4.0MM	LE-LH45S4	LE-LH45T4
	J-Wire	Ø2.36MM	LE-JW45S2	LE-JW45T2
		Ø4.0MM	LE-JW45S4	LE-JW45T4
	J-Hook	Ø2.36MM	LE-JH45S2	LE-JH45T2
		Ø4.0MM	LE-JH45S4	LE-JH45T4
	Round Wire	Ø2.36MM	LE-RW45S2	LE-RW45T2
		Ø4.0MM	LE-RW45S4	LE-RW45T4
	Ball	Ø2.36MM	LE-BA45S2	LE-BA45T2
		Ø4.0MM	LE-BA45S4	LE-BA45T4
	Needle	Ø2.36MM	LE-NE45S2	LE-NE45T2
		Ø4.0MM	LE-NE45S4	LE-NE45T4
	Concial Needle Tip	Ø2.36MM	LE-CN45S2	LE-CN45T2
		Ø4.0MM	LE-CN45S4	LE-CN45T4
	Blade	Ø2.36MM	LE-BL45S2	LE-BL45T2
		Ø4.0MM	LE-BL45S4	LE-BL45T4
	Curve Spatula	Ø2.36MM	LE-SP45S2	LE-SP45T2
		Ø4.0MM	LE-SP45S4	LE-SP45T4
	Round Spatula	Ø2.36MM	LE-RS45S2	LE-RS45T2
		Ø4.0MM	LE-RS45S4	LE-RS45T4

Disposable Laparoscopic Instrument

High-Performance Tool For MIS



Promed's disposable monopolar laparoscopic instruments are specifically engineered for minimally invasive surgical procedures, prioritizing surgeon comfort, safety, and ease of use. Available with either single or double action jaws, they deliver precise control, enhanced tactile feedback, and are equipped with a standard monopolar connection for seamless integration with electrosurgical systems.



- 1 Ergonomic handles for optimal comfort and control
- 2 Large finger rings to reduce fatigue during prolonged use
- 3 360° fingertip rotation for precise tip orientation
- 4 On/Off ratchet mechanism for enhanced precision and control



- 5 Smooth jaw movement with maximum opening
- 6 Sterilized and ready-to-use for OR staff
- 7 330mm shaft length
- 8 Sterile Packing
- 9 10pcs/Box




PRODUCT	STYLE	ARTICULATION	JAW LENGTH (MM)	SHAFT LENGTH (MM)	WITH RATCHET	WITHOUT RATCHET
	Straight Scissor	Double	13MM	330MM	/	L09S-330-2
	Curve Scissor	Double	13MM	330MM	/	L09C-330-2
	Hook Scissor	Double	15MM	330MM	/	L09G-330-1
	Maryland Forceps	Double	18MM	330MM	L18ML-1-330-2	L18ML-0-330-2
	Duck Bill Forceps	Double	18MM	330MM	L18DB-1-330-2	L18DB-0-330-2
	Endoclinch Forceps	Double	20MM	330MM	L19EC-1-330-2	L19EC-0-330-2
	Claw Forceps	Single	22MM	330MM	L21-330-1	/
	Mixer Dissector	Double	21MM	330MM	L18M-0-330-2	/
	Badcock Forceps	Double	28MM	330MM	L19BC-1-330-2	/
	Biopsy Forceps	Single	17MM	330MM	/	L21-330-1
	Biopsy Forceps with Pin	Single	17MM	330MM	/	L05-330-2

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr



Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case



Disposable Suction Irrigator

Clean Precision , Seamless Conrol

Engineered to streamline surgical workflows, Promed’s Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.



Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case

GENERAL SURGERY SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing



Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.




The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.

Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.



Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box




PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM




Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable

- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE L×W×H (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MM×31MM×11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MM×31MM×11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MM×31MM×11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.




Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	Staple	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.



Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	Staple	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil


Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable

- **Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.
- **Slim, Oval Triangular Grip**
Ensures improved access and visibility.
- **Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.
- **Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.
- **Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198mm.
- **Slide-to-Extend up to 60mm**
By pushing the button forward, the housing can extend up to 60mm to reach deeper into surgical cavities.



Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



Accessories

Nose Cone

- 3 sizes of nose cones fit for 63.5/69/120MM electrodes
- Transparent, equipped with radiopaque identifier (xray-detectable)

Electrodes

- Standard 50MM
Optional 63.5/69/120MM
- Modified blade electrode (shrink wrap insulation), coated or non-coated

Cable and Tubing

- Standard 3 meter or 4.5 meter
- 22MM filter port adaptor
- Y-connection

LLETZ/ LEEP electrode

- Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil

- Sterile Packing
- Packing: 5pcs/Box



PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In -1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories


• Tips Size



• Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides;
Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar

Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.

Lightweight, compact design for easy handling and reduced fatigue.

PD833W -
Ø 1.6MM

PD833 -
Ø 2.36MM

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.

*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug

Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box



134°C
Autoclave

PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug

AESTHETIC, DERMATOLOGY & ENT SOLUTION

Reusable Bipolar Forceps

Durable Precision For Bipolar Coagulation



Promed's Reusable Bipolar Forceps are available in a variety of lengths, tip sizes, and designs, including Bayonet, Jewelers, Adson, and Straight, to suit diverse surgical needs.

Engineered for optimal performance, the polished stainless-steel tips reduce eschar buildup, ensuring smooth operation. The ergonomic, balanced handles minimize hand fatigue, enhancing comfort and precision. Designed for durability, they withstand up to 20 autoclave cycles.



Polished Stainless Steel Tips
Secure grasping and coagulation at lower power, reducing tissue damage and eschar buildup.

Insulated Stainless Steel Body
Prevents electrical leakage for enhanced safety.

Precise Handle Spring Tension
Ensuring consistent dissection pressure and maintaining accurate tip alignment.


Platform-Like Tip Design
Increases resistance and enhances coagulation with controlled heat.

Ergonomic, Well-Balanced Handles
Provides balance and comfort reducing hand fatigue.


STYLE	LENGTH(MM)	TIP WIDTH (MM)
Bayonet Straight	180/200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Down	200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Up	200/220/240MM	0.5/1.0/2.0MM
Straight	140/180/200/220/240MM	0.5/1.0/2.0MM
Adson	130MM	0.5/1.0MM
Jeweler	110MM	0.5MM

Straight Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight Tip, 2 Pins Connector					
0.5MM	FST0145	FST0185	FST0205	/	/
1.0MM	FST0141	FST0181	FST0201	FST0221	FST0241
2.0MM	FST0142	FST0182	FST0202	FST0222	FST0242
Straight Tip, Flat Connector					
0.5MM	FST1145	FST1185	FST1205	/	/
1.0MM	FST1141	FST1181	FST1201	FST1221	FST1241
2.0MM	FST1142	FST1182	FST1202	FST1222	FST1242



TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight, Angled Tip, 2 Pins Connector					
0.5MM	/	FAG0185	FAG0205	/	/
1.0MM	/	FAG0181	FAG0201	FAG0221	FAG0241
2.0MM	/	FAG0182	FAG0202	FAG0222	FAG0242
Straight, Angled Tip, Flat Connector					
0.5MM	/	FAG1185	FAG1205	/	/
1.0MM	/	FAG1181	FAG1201	FAG1221	FAG1241
2.0MM	/	FAG1182	FAG1202	FAG1222	FAG1242

AESTHETIC, DERMATOLOGY & ENT SOLUTION

Bayonet Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



FBD0205, Length 200mm, Bayonet, Angled Down, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Down, 2 Pins Connector					
0.5MM	/	/	FBD0205	FBD0225	/
1.0MM	/	/	FBD0201	FBD0221	FBD0241
2.0MM	/	/	FBD0202	FBD0222	/
Bayonet, Angled Down, Flat Connector					
0.5MM	/	/	FBD1205	FBD1225	/
1.0MM	/	/	FBD1201	FBD1221	FBD1241
2.0MM	/	/	FBD1202	FBD1222	/



FBS0205, Length 200mm, Bayonet, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Straight Tip, 2 Pins Connector					
0.5MM	/	FBS0185	FBS0205	FBS0225	FBS0245
1.0MM	/	FBS0181	FBS0201	FBS0221	FBS0241
2.0MM	/	FBS0182	FBS0202	FBS0222	/
Bayonet, Straight Tip, Flat Connector					
0.5MM	/	FBS1185	FBS1205	FBS1225	FBS1245
1.0MM	/	FBS1181	FBS1201	FBS1221	FBS1241
2.0MM	/	FBS1182	FBS1202	FBS1222	/




FBU0205, Length 200mm,Bayonet, Angled Up, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Up, 2 Pins Connector					
0.5MM	/	/	FBU0205	FBU0225	/
1.0MM	/	/	FBU0201	FBU0221	FBU0241
2.0MM	/	/	FBU0202	FBU0222	/
Bayonet, Angled Up, Flat Connector					
0.5MM	/	/	FBU1205	FBU1225	/
1.0MM	/	/	FBU1201	FBU1221	FBU1241
2.0MM	/	/	FBU1202	FBU1222	/

Jewelers Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack




MJE0115,Length 110mm, Jewelers,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	110MM
Jeweler, 2 Pins Connector 	
0.5MM	MJE0115
1.0MM	/
Jeweler, Flat Connector 	
0.5MM	MJE1115
1.0MM	/

Adson Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



MAD0135,Length 130mm, Adson,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	130MM
Adson, 2 Pins Connector 	
0.5MM	MAD0135
1.0MM	MAD0131
Adson, Flat Connector 	
0.5MM	MAD1135
1.0MM	MAD1131

General Disposable Electrode

Safe & Efficient Energy Transmission



Promed's disposable electrosurgical electrodes—offered in blade, needle, and ball shapes—deliver precise cutting and coagulation. Available in various lengths with stainless steel or Teflon-coated shafts, and in over-molded or shrink-wrapped designs, they are fully compatible with standard monopolar pencils, ensuring accuracy, control, and dependable performance in every procedure.



Overmold with Hex without Hex collar




Hex Collar with Shrink Wrap



Hex Collar with Shrink Wrap (High Insulation)




Shrink Wrap



Shrink Wrap (High Insulation)



Optional Finishing for Disposable Electrode



Disposable Blade Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Blade			
	69MM	EB22M2	EB22M2T
	153MM	EB26M2	EB26M2T
Hex Collar with Shrink Wrap			
	102MM	EB24P2	EB24P2T
	152MM	EB26P2	EB26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EB22S2	EB22S2T
	102MM	EB24S2	EB24S2T
	152MM	EB26S2	EB26S2T
Shrink Wrap			
	69MM	EB22M2-H	EB22M2T-H
	102MM	EB24M2-H	EB24M2T-H
	152MM	EB26M2-H	EB26M2T-H
Shrink Wrap, High Insulation			
	69MM	EB22S2-H	EB22S2T-H
	102MM	EB24S2-H	EB24S2T-H
	152MM	EB26S2-H	EB26S2T-H

Disposable Needle Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Needle			
	69MM	EN22M2	EN22M2T
	153MM	EN26M2	EN26M2T
Hex Collar with Shrink Wrap			
	102MM	EN24P2	EN24P2T
	152MM	EN26P2	EN26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EN22S2	EN22S2T
	102MM	EN24S2	EN24S2T
	152MM	EN26S2	EN26S2T
Shrink Wrap			
	69MM	EN22M2-H	EN22M2T-H
	102MM	EN24M2-H	EN24M2T-H
	152MM	EN26M2-H	EN26M2T-H
Shrink Wrap, High Insulation			
	69MM	EN22S2-H	EN22S2T-H
	102MM	EN24S2-H	EN24S2T-H
	152MM	EN26S2-H	EN26S2T-H

Disposable Ball Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



			PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Ball				
	3MM	69MM	ES22M3	ES22M3T
	5MM	71MM	ES22M4	ES22M4T
	3MM	133MM	ES26M3	ES26M3T
	5MM	136MM	ES26M4	ES26M4T
Hex Collar with Shrink Wrap				
	3MM	69MM	ES22S3	ES22S3T
	5MM	71MM	ES22S4	ES22S4T
	3MM	102MM	ES24S3	ES24S3T
	5MM	107MM	ES24S4	ES24S4T
	3MM	134MM	ES26S3	ES26S3T
	5MM	136MM	ES26S4	ES26S4T
Shrink Wrap				
	3MM	69MM	ES22M3-H	ES22M3T-H
	5MM	71MM	ES22M4-H	ES22M4T-H
	3MM	101MM	ES24M3-H	ES24M3T-H
	5MM	107MM	ES24M4-H	ES24M4T-H
	3MM	134MM	ES26M3-H	ES26M3T-H
	5MM	136MM	ES26M4-H	ES26M4T-H

Microfin Disposable Electrode

Micro-Level Accuracy For Delicate Procedures






The Disposable Microfin Electrode is engineered for precision and performance across multiple specialties, including Aesthetic & Dermatologic Surgery (Skin Lesion Removal, Scar Revision), ENT (Nasal Polyp Excision), and Dentistry (Gingival Sculpting) etc.

Its ultra-fine design allows for exceptional control in delicate procedures, while broad compatibility with electrosurgical systems ensures minimal tissue damage and reduced thermal spread - enhancing both safety and surgical outcomes.

MicroFin



 Round Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM • Ø 13MM	 Triangle Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	 Diamond Loop Electrode Available Size • Ø 3MM • Ø 5MM • Ø 8MM
 Ball Electrode Available Size • Ø 2.3MM • Ø 4.3MM	 Needle Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	 Blade Electrode Available Size • Ø 25MM

Micro Precision. Maximum Performance



Ultra-Precision Design

- **Equipped with 0.2MM fine tungsten wire tip** for ultra-precise incisions, minimizing scarring and thermal spread.
- Ideal for dermatology, cosmetic surgery, dentistry, and ENT applications.



Safety & Sterility

- Gold-plated copper provides excellent **conductivity, corrosion resistance**, and a non-stick surface for optimal performance.
- Pre-sterilized, single-use design ensures safety and minimizes cross-contamination risk.



Flexible & Adaptable

- **Gold-plated copper base** allows for manual bending.
- Adapting easily to anatomical contours for clean, precise cuts with minimal tissue trauma.



Variety of Options

- **Multiple tip options** - loop, ball, needle, and blade - to suit diverse clinical applications.
- Available in Ø1.6mm and Ø2.36mm shaft diameters.
- Compatible with most ESU generators for cutting and coagulation.

Microfin Blade Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1B2S	Disposable Microfin Blade Electrode	1.6MM	25MM
EM2B2S	Disposable Microfin Blade Electrode	2.36MM	25MM

Microfin Ball Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	BALL DIAMETER(MM)
EM1S2A	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2A	Disposable Microfin Ball Electrode	2.36MM	4.3MM
EM1S2P	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2P	Disposable Microfin Ball Electrode	2.36MM	4.3MM

Microfin Bend Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1BR2R	Disposable Microfin Bend Needle Electrode	1.6MM	10MM
EM2BR2R	Disposable Microfin Bend Needle Electrode	2.36MM	10MM

Microfin Bend Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1BR2R	Disposable Microfin Tungsten Wire Needle Electrode	1.6MM	10MM
EL2BR2R	Disposable Microfin Tungsten Wire Needle Electrode	2.36MM	10MM

Microfin Fine Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	1.6MM	10MM
EL2WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	2.36MM	10MM

Microfin Round Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMEFER (MM)
EL1R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	4MM
EL2R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	4MM
EL1R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	7MM
EL2R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	7MM
EL1R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	10MM
EL2R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	10MM
EL1R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	13MM
EL2R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	13MM

Microfin Diamond Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMEFER (MM)
EL1D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	3MM
EL2D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	3MM
EL1D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	5MM
EL2D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	5MM
EL1D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	8MM
EL2D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	8MM

Microfin Triangle Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMEFER (MM)
EL1T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	4MM
EL2T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	4MM
EL1T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	7MM
EL2T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	7MM
EL1T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	10MM
EL2T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	10MM

Disposable Micro Needle Electrode

Needle Sharp Precision For Fine Electrosurgical Work




Promed's MicroFin Needle Electrode offers a variety of configurations for different surgical procedures. Its ultra-sharp design, combined with fine tungsten wire, ensures precise control and minimizes tissue damage during accurate dissection. The fine needle tip concentrates electrosurgical energy, maintaining sharpness and allowing for lower power settings.



MicroFin

Ø1.6 MM , Ø2.36 MM available

Various Electrode length 50 / 60 / 102 / 152MM



Universal Compatibility:
Designed for seamless integration with most standard electrosurgical handpieces.

Ultra-Fine Tungsten Alloy Tip:
Crafted from high heat-resistant tungsten alloy, the Ø0.032MM ultra-sharp, highly polished needle maintains its sharpness even under intense operating conditions.

Enhanced Safety Design:
Equipped with precision shrink wrap insulation to minimize the risk of unintended electrical contact.

Energy Efficient:
The superior conductivity of the tungsten tip allows for effective performance at lower power settings, reducing thermal damage to surrounding tissue

Disposable MicroFin Needle Electrode - Straight Tip

- Tungsten Wire , Ultra Sharp, Straight Tip
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM			
PRODUCT CODE			
50MM	EM2305-1	EM2505-1	EM2705-1
60MM	EM2306-1	EM2506-1	EM2706-1
70MM	EM2307-1	EM2507-1	EM2707-1
102MM	EM2310-1	EM2510-1	EM2710-1
152MM	EM2315-1	EM2515-1	EM2715-1
Post Diameter 1.6MM			
PRODUCT CODE			
50MM	EM1305-1	EM1505-1	EM1705-1
60MM	EM1306-1	EM1506-1	EM1706-1
70MM	EM1307-1	EM1507-1	EM1707-1
102MM	EM1310-1	EM1510-1	EM1710-1
152MM	EM1315-1	EM1515-1	EM1715-1

Disposable MicroFin Needle Electrode - Straight Tip With Hex Lock

- Tungsten Wire , Ultra Sharp, Straight Tip, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM			
PRODUCT CODE			
102MM	EM2310-1H	EM2510-1H	EM2710-1H
152MM	EM2315-1H	EM2515-1H	EM2715-1H

Disposable MicroFin Needle Electrode - 45° Angled, 3MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM			
PRODUCT CODE			
50MM	EM2305-2	EM2505-2	EM2705-2
60MM	EM2306-2	EM2506-2	EM2706-2
70MM	EM2307-2	EM2507-2	EM2707-2
102MM	EM2310-2	EM2510-2	EM2710-2
152MM	EM2315-2	EM2515-2	EM2715-2
Post Diameter 1.6MM			
PRODUCT CODE			
50MM	EM1305-2	EM1505-2	EM1705-2
60MM	EM1306-2	EM1506-2	EM1706-2
70MM	EM1307-2	EM1507-2	EM1707-2
102MM	EM1310-2	EM1510-2	EM1710-2
152MM	EM1315-2	EM1515-2	EM1715-2

Disposable MicroFin Needle Electrode - 45° Angled, 3MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM			
PRODUCT CODE			
102MM	EM2310-2H	EM2510-2H	EM2710-2H
152MM	EM2315-2H	EM2515-2H	EM2715-2H

Disposable MicroFin Needle Electrode - 45° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-3	EM2506-3	EM2706-3
70MM	EM2307-3	EM2507-3	EM2707-3
102MM	EM2310-3	EM2510-3	EM2710-3
152MM	EM2315-3	EM2515-3	EM2715-3
Post Diameter 1.6mm		PRODUCT CODE	
60MM	EM1306-3	EM1506-3	EM1706-3
70MM	EM1307-3	EM1507-3	EM1707-3
102MM	EM1310-3	EM1510-3	EM1710-3
152MM	EM1315-3	EM1515-3	EM1715-3

Disposable MicroFin Needle Electrode - 90° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-4	EM2506-4	EM2706-4
70MM	EM2307-4	EM2507-4	EM2707-4
102MM	EM2310-4	EM2510-4	EM2710-4
152MM	EM2315-4	EM2515-4	EM2715-4
Post Diameter 1.6MM		PRODUCT CODE	
60MM	EM1306-4	EM1506-4	EM1706-4
70MM	EM1307-4	EM1507-1	EM1707-4
102MM	EM1310-4	EM1510-1	EM1710-4
152MM	EM1315-4	EM1515-1	EM1715-4

Disposable MicroFin Needle Electrode - 45° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-3H	EM2510-3H	EM2710-3H
152MM	EM2315-3H	EM2515-3H	EM2715-3H

Disposable MicroFin Needle Electrode - 90° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box




NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)	NEEDLE SHAFT DIAMETER(MM)		
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-4H	EM2510-4H	EM2710-4H
152MM	EM2315-4H	EM2515-4H	EM2715-4H

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr



Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case

Disposable Suction Irrigator

Clean Precision , Seamless Conrol



Engineered to streamline surgical workflows, Promed’s Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.



Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case

AESTHETIC, DERMATOLOGY & ENT SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing



Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.




The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.


Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.



Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box




PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM




Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



GB910, Disposable Ground Pad, Bipolar, Vertical, Adult

PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable

- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE LxWxH (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MMx31MMx11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.




Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.



Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil

Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable

- Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.
- Slim, Oval Triangular Grip**
Ensures improved access and visibility.
- Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.
- Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.
- Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198MM.
- Slide-to-Extend up to 60mm**
By pushing the button forward, the housing can extend up to 60mm to reach deeper into surgical cavities.

68MM-198MM


Hassle-free work-length adjust

Full extension

Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



Accessories

- Nose Cone**
 - 3 sizes of nose cones fit for 63.5/69/120MM electrodes
 - Transparent, equipped with radiopaque identifier (xray-detectable)
- Electrodes**
 - Standard 50MM
 - Optional 63.5/69/120MM
 - Modified blade electrode (shrink wrap insulation), coated or non-coated
- Cable and Tubing**
 - Standard 3 meter or 4.5 meter
 - 22MM filter port adaptor
 - Y-connection
- LLETZ/ LEEP electrode**
 - Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil

- Sterile Packing
- Packing: 5pcs/Box

195 mm

PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In - 1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories

• Tips Size



• Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides;
Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar

Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.

Lightweight, compact design for easy handling and reduced fatigue.

PD833W -
Ø 1.6MM

PD833 -
Ø 2.36MM

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.


*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug



Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box




PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug


LAPAROSCOPIC SURGERY SOLUTION

Disposable Laparoscopic Electrode

Reliable Energy For Minimally Invasive Surgery




Promed Supply offers high-quality disposable monopolar laparoscopic electrodes for enhanced safety in minimally invasive surgeries. With various tip styles and stainless steel or Teflon coatings, they provide versatile options for surgeons and fit standard electrosurgery pencils.



- **Shaft diameter:** Ø2.36mm or Ø4mm, fit most electrosurgery pencils
- **Electrode diameter:** Ø5mm
- **Length:** 33cm or 45cm
- **Tip styles:** L-Wire, L-Hook, J-Wire, J-Hook, Needle, Blade, Ball, etc.
- **Finishing:** Stainless Steel or Non Stick PTFE Teflon Coated

Optional Finishing



LAPAROSCOPIC SURGERY SOLUTION

Disposable Laparoscopic Electrode, 33cm

- Shaft Length 33CM
- Packaged Sterile, 6pcs per Box



PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -33MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW33S2	LE-LW33T2
		Ø4.0MM	LE-LW33S4	LE-LW33T4
	L-Hook	Ø2.36MM	LE-LH33S2	LE-LH33T2
		Ø4.0MM	LE-LH33S4	LE-LH33T4
	J-Wire	Ø2.36MM	LE-JW33S2	LE-JW33T2
		Ø4.0MM	LE-JW33S4	LE-JW33T4
	J-Hook	Ø2.36MM	LE-JH33S2	LE-JH33T2
		Ø4.0MM	LE-JH33S4	LE-JH33T4
	Round Wire	Ø2.36MM	LE-RW33S2	LE-RW33T2
		Ø4.0MM	LE-RW33S4	LE-RW33T4
	Ball	Ø2.36MM	LE-BA33S2	LE-BA33T2
		Ø4.0MM	LE-BA33S4	LE-BA33T4
	Needle	Ø2.36MM	LE-NE33S2	LE-NE33T2
		Ø4.0MM	LE-NE33S4	LE-NE33T4
	Concial Needle Tip	Ø2.36MM	LE-CN33S2	LE-CN33T2
		Ø4.0MM	LE-CN33S4	LE-CN33T4
	Blade	Ø2.36MM	LE-BL33S2	LE-BL33T2
		Ø4.0MM	LE-BL33S4	LE-BL33T4
	Curve Spatula	Ø2.36MM	LE-SP33S2	LE-SP33T2
		Ø4.0MM	LE-SP33S4	LE-SP33T4
	Round Spatula	Ø2.36MM	LE-RS33S2	LE-RS33T2
		Ø4.0MM	LE-RS33S4	LE-RS33T4

Disposable Laparoscopic Electrode, 45cm

- Shaft Length 45CM
- Packaged Sterile, 6pcs per Box






PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -45MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW45S2	LE-LW45T2
		Ø4.0MM	LE-LW45S4	LE-LW45T4
	L-Hook	Ø2.36MM	LE-LH45S2	LE-LH45T2
		Ø4.0MM	LE-LH45S4	LE-LH45T4
	J-Wire	Ø2.36MM	LE-JW45S2	LE-JW45T2
		Ø4.0MM	LE-JW45S4	LE-JW45T4
	J-Hook	Ø2.36MM	LE-JH45S2	LE-JH45T2
		Ø4.0MM	LE-JH45S4	LE-JH45T4
	Round Wire	Ø2.36MM	LE-RW45S2	LE-RW45T2
		Ø4.0MM	LE-RW45S4	LE-RW45T4
	Ball	Ø2.36MM	LE-BA45S2	LE-BA45T2
		Ø4.0MM	LE-BA45S4	LE-BA45T4
	Needle	Ø2.36MM	LE-NE45S2	LE-NE45T2
		Ø4.0MM	LE-NE45S4	LE-NE45T4
	Concial Needle Tip	Ø2.36MM	LE-CN45S2	LE-CN45T2
		Ø4.0MM	LE-CN45S4	LE-CN45T4
	Blade	Ø2.36MM	LE-BL45S2	LE-BL45T2
		Ø4.0MM	LE-BL45S4	LE-BL45T4
	Curve Spatula	Ø2.36MM	LE-SP45S2	LE-SP45T2
		Ø4.0MM	LE-SP45S4	LE-SP45T4
	Round Spatula	Ø2.36MM	LE-RS45S2	LE-RS45T2
		Ø4.0MM	LE-RS45S4	LE-RS45T4

Disposable Laparoscopic Instrument

High-Performance Tool For MIS

Promed's disposable monopolar laparoscopic instruments are specifically engineered for minimally invasive surgical procedures, prioritizing surgeon comfort, safety, and ease of use. Available with either single or double action jaws, they deliver precise control, enhanced tactile feedback, and are equipped with a standard monopolar connection for seamless integration with electrosurgical systems.



- 1 Ergonomic handles for optimal comfort and control
- 2 Large finger rings to reduce fatigue during prolonged use
- 3 360° fingertip rotation for precise tip orientation
- 4 On/Off ratchet mechanism for enhanced precision and control




- 5 Smooth jaw movement with maximum opening
- 6 Sterilized and ready-to-use for OR staff
- 7 330mm shaft length
- 8 Sterile Packing
- 9 10pcs/Box


PRODUCT	STYLE	ARTICULATION	JAW LENGTH (MM)	SHAFT LENGTH (MM)	 WITH RATCHET	 WITHOUT RATCHET
	Straight Scissor	Double	13MM	330MM	/	L09S-330-2
	Curve Scissor	Double	13MM	330MM	/	L09C-330-2
	Hook Scissor	Double	15MM	330MM	/	L09G-330-1
	Maryland Forceps	Double	18MM	330MM	L18ML-1-330-2	L18ML-0-330-2
	Duck Bill Forceps	Double	18MM	330MM	L18DB-1-330-2	L18DB-0-330-2
	Endoclinch Forceps	Double	20MM	330MM	L19EC-1-330-2	L19EC-0-330-2
	Claw Forceps	Single	22MM	330MM	L21-330-1	/
	Mixer Dissector	Double	21MM	330MM	L18M-0-330-2	/
	Badcock Forceps	Double	28MM	330MM	L19BC-1-330-2	/
	Biopsy Forceps	Single	17MM	330MM	/	L21-330-1
	Biopsy Forceps with Pin	Single	17MM	330MM	/	L05-330-2

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr




Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case



Disposable Suction Irrigator

Clean Precision , Seamless Control

Engineered to streamline surgical workflows, Promed's Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.




Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case

LAPAROSCOPIC SURGERY SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing



Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.




The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.

Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.



Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box




PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM




Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable


- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE LxWxH (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MMx31MMx11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.




Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.




Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil


Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable


- **Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.
- **Slim, Oval Triangular Grip**
Ensures improved access and visibility.
- **Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.
- **Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.
- **Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198mm.



Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



Accessories

Nose Cone

- 3 sizes of nose cones fit for 63.5/69/120MM electrodes
- Transparent, equipped with radiopaque identifier (xray-detectable)

Electrodes

- Standard 50MM
Optional 63.5/69/120MM
- Modified blade electrode (shrink wrap insulation), coated or non-coated

Cable and Tubing

- Standard 3 meter or 4.5 meter
- 22MM filter port adaptor
- Y-connection

LLETZ/ LEEP electrode

- Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil


- Sterile Packing
- Packing: 5pcs/Box



PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In - 1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories


• Tips Size



• Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides; Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar

Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug




PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.



Lightweight, compact design for easy handling and reduced fatigue.

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.


*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug



Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug

GYNECOLOGY SURGERY SOLUTION

Reusable Bipolar Forceps

Durable Precision For Bipolar Coagulation



Promed's Reusable Bipolar Forceps are available in a variety of lengths, tip sizes, and designs, including Bayonet, Jewelers, Adson, and Straight, to suit diverse surgical needs.

Engineered for optimal performance, the polished stainless-steel tips reduce eschar buildup, ensuring smooth operation. The ergonomic, balanced handles minimize hand fatigue, enhancing comfort and precision. Designed for durability, they withstand up to 20 autoclave cycles.



Polished Stainless Steel Tips

Secure grasping and coagulation at lower power, reducing tissue damage and eschar buildup.

Insulated Stainless Steel Body

Prevents electrical leakage for enhanced safety.

Precise Handle Spring Tension

Ensuring consistent dissection pressure and maintaining accurate tip alignment.

Platform-Like Tip Design

Increases resistance and enhances coagulation with controlled heat.


Ergonomic, Well-Balanced Handles

Provides balance and comfort reducing hand fatigue.

STYLE	LENGTH(MM)	TIP WIDTH (MM)
Bayonet Straight	180/200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Down	200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Up	200/220/240MM	0.5/1.0/2.0MM
Straight	140/180/200/220/240MM	0.5/1.0/2.0MM
Adson	130MM	0.5/1.0MM
Jeweler	110MM	0.5MM

Straight Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



FST0205, Length 200mm, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight Tip, 2 Pins Connector					
0.5MM	FST0145	FST0185	FST0205	/	/
1.0MM	FST0141	FST0181	FST0201	FST0221	FST0241
2.0MM	FST0142	FST0182	FST0202	FST0222	FST0242
Straight Tip, Flat Connector					
0.5MM	FST1145	FST1185	FST1205	/	/
1.0MM	FST1141	FST1181	FST1201	FST1221	FST1241
2.0MM	FST1142	FST1182	FST1202	FST1222	FST1242



FAG0205, Length 200mm, Straight, Angled Tip, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight, Angled Tip, 2 Pins Connector					
0.5MM	/	FAG0185	FAG0205	/	/
1.0MM	/	FAG0181	FAG0201	FAG0221	FAG0241
2.0MM	/	FAG0182	FAG0202	FAG0222	FAG0242
Straight, Angled Tip, Flat Connector					
0.5MM	/	FAG1185	FAG1205	/	/
1.0MM	/	FAG1181	FAG1201	FAG1221	FAG1241
2.0MM	/	FAG1182	FAG1202	FAG1222	FAG1242

Bayonet Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



FBD0205, Length 200mm, Bayonet, Angled Down, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Down, 2 Pins Connector					
0.5MM	/	/	FBD0205	FBD0225	/
1.0MM	/	/	FBD0201	FBD0221	FBD0241
2.0MM	/	/	FBD0202	FBD0222	/
Bayonet, Angled Down, Flat Connector					
0.5MM	/	/	FBD1205	FBD1225	/
1.0MM	/	/	FBD1201	FBD1221	FBD1241
2.0MM	/	/	FBD1202	FBD1222	/



FBS0205, Length 200mm, Bayonet, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Straight Tip, 2 Pins Connector					
0.5MM	/	FBS0185	FBS0205	FBS0225	FBS0245
1.0MM	/	FBS0181	FBS0201	FBS0221	FBS0241
2.0MM	/	FBS0182	FBS0202	FBS0222	/
Bayonet, Straight Tip, Flat Connector					
0.5MM	/	FBS1185	FBS1205	FBS1225	FBS1245
1.0MM	/	FBS1181	FBS1201	FBS1221	FBS1241
2.0MM	/	FBS1182	FBS1202	FBS1222	/




FBU0205, Length 200mm,Bayonet, Angled Up, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Up, 2 Pins Connector					
0.5MM	/	/	FBU0205	FBU0225	/
1.0MM	/	/	FBU0201	FBU0221	FBU0241
2.0MM	/	/	FBU0202	FBU0222	/
Bayonet, Angled Up, Flat Connector					
0.5MM	/	/	FBU1205	FBU1225	/
1.0MM	/	/	FBU1201	FBU1221	FBU1241
2.0MM	/	/	FBU1202	FBU1222	/

Jewelers Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack




MJE0115,Length 110mm, Jewelers,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	110MM
Jeweler, 2 Pins Connector 	
0.5MM	MJE0115
1.0MM	/
Jeweler, Flat Connector 	
0.5MM	MJE1115
1.0MM	/

Adson Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



MAD0135,Length 130mm, Adson,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	130MM
Adson, 2 Pins Connector 	
0.5MM	MAD0135
1.0MM	MAD0131
Adson, Flat Connector 	
0.5MM	MAD1135
1.0MM	MAD1131

General Disposable Electrode

Safe & Efficient Energy Transmission



Promed's disposable electrosurgical electrodes—offered in blade, needle, and ball shapes—deliver precise cutting and coagulation. Available in various lengths with stainless steel or Teflon-coated shafts, and in over-molded or shrink-wrapped designs, they are fully compatible with standard monopolar pencils, ensuring accuracy, control, and dependable performance in every procedure.



Overmold with Hex without Hex collar



Hex Collar with Shrink Wrap



Hex Collar with Shrink Wrap (High Insulation)



Shrink Wrap



Shrink Wrap (High Insulation)



Optional Finishing for Disposable Electrode



Stainless Steel

Teflon Coated

Disposable Blade Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Blade			
	69MM	EB22M2	EB22M2T
	153MM	EB26M2	EB26M2T
Hex Collar with Shrink Wrap			
	102MM	EB24P2	EB24P2T
	152MM	EB26P2	EB26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EB22S2	EB22S2T
	102MM	EB24S2	EB24S2T
	152MM	EB26S2	EB26S2T
Shrink Wrap			
	69MM	EB22M2-H	EB22M2T-H
	102MM	EB24M2-H	EB24M2T-H
	152MM	EB26M2-H	EB26M2T-H
Shrink Wrap, High Insulation			
	69MM	EB22S2-H	EB22S2T-H
	102MM	EB24S2-H	EB24S2T-H
	152MM	EB26S2-H	EB26S2T-H

Disposable Needle Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box




		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Needle			
	69MM	EN22M2	EN22M2T
	153MM	EN26M2	EN26M2T
Hex Collar with Shrink Wrap			
	102MM	EN24P2	EN24P2T
	152MM	EN26P2	EN26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EN22S2	EN22S2T
	102MM	EN24S2	EN24S2T
	152MM	EN26S2	EN26S2T
Shrink Wrap			
	69MM	EN22M2-H	EN22M2T-H
	102MM	EN24M2-H	EN24M2T-H
	152MM	EN26M2-H	EN26M2T-H
Shrink Wrap, High Insulation			
	69MM	EN22S2-H	EN22S2T-H
	102MM	EN24S2-H	EN24S2T-H
	152MM	EN26S2-H	EN26S2T-H

Disposable Ball Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



			PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Ball				
	3MM	69MM	ES22M3	ES22M3T
	5MM	71MM	ES22M4	ES22M4T
	3MM	133MM	ES26M3	ES26M3T
	5MM	136MM	ES26M4	ES26M4T
Hex Collar with Shrink Wrap				
	3MM	69MM	ES22S3	ES22S3T
	5MM	71MM	ES22S4	ES22S4T
	3MM	102MM	ES24S3	ES24S3T
	5MM	107MM	ES24S4	ES24S4T
	3MM	134MM	ES26S3	ES26S3T
	5MM	136MM	ES26S4	ES26S4T
Shrink Wrap				
	3MM	69MM	ES22M3-H	ES22M3T-H
	5MM	71MM	ES22M4-H	ES22M4T-H
	3MM	101MM	ES24M3-H	ES24M3T-H
	5MM	107MM	ES24M4-H	ES24M4T-H
	3MM	134MM	ES26M3-H	ES26M3T-H
	5MM	136MM	ES26M4-H	ES26M4T-H

Disposable LLETZ Electrode

Optimized For Cervical Procedure



Promed's gynecology loop electrode ensures precise excision with minimal thermal damage, promoting faster healing and reducing scarring. It delivers consistent energy for accurate cuts, minimizing tissue adhesion and improving procedural efficiency.

DISPOSABLE LLETZ ELECTRODE	
Shaft Diameter	2.36MM
Material	Tungsten Wire + Medical-Grade Polymer
Design	Overmold Hex Lock
Shape Avalale	Loop & Square Shape
Loop Electrode Diameter(MM)	5MM,10MM,15MM,20MM
Square Electrode Diameter(MM)	5MM,8MM,10MM
Packing	1pcs/Pouch,10pcs/Box



FEATURES	
Fine Tungsten Wire Construction	High conductivity and durability for precise cutting, minimizing adhesion and ensuring consistent energy.
Precision Design	2.36mm shaft for optimal maneuverability; sterile and single-use to reduce contamination risks.
Overmold Shaft with HEX Lock	Ergonomic, non-slip grip for enhanced control during procedures
Multiple Sizes & Shapes	Available in various loop diameters (e.g.,5mm,10mm, 15mm,20mm) for excision, and square electrodes for coagulation.

 EL2V64, Loop (A)5MM x (B)5MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V64	LLETZ Loop 5*5 MM Electrode	Ø2.36MM

 EL2V60,Loop (A)10MM x (B)7MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V61	LLETZ Loop 10*5MM Electrode	Ø2.36MM
EL2V60	LLETZ Loop 10*7MM Electrode	Ø2.36MM
EL2V65	LLETZ Loop 10*10MM Electrode	Ø2.36MM

 EL2V6B,Loop (A)15MM x (B)5MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V6B	LLETZ Loop 15*5MM Electrode	Ø2.36MM
EL2V6C	LLETZ Loop 15*8MM Electrode	Ø2.36MM
EL2V6P	LLETZ Loop 15*10MM Electrode	Ø2.36MM
EL2V6J	LLETZ Loop 15*12MM Electrode	Ø2.36MM
EL2V6K	LLETZ Loop 15*15MM Electrode	Ø2.36MM

 EL2V6F,Loop (A)20MM x (B)15MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V6D	LLETZ Loop 20*8MM Electrode	Ø2.36MM
EL2V6E	LLETZ Loop 20*10MM Electrode	Ø2.36MM
EL2V6H	LLETZ Loop 20*12MM Electrode	Ø2.36MM
EL2V6F	LLETZ Loop 20*15MM Electrode	Ø2.36MM
EL2V6G	LLETZ Loop 20*20MM Electrode	Ø2.36MM

 EL2V74,Square (A)5MM x (B)5MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V74	LLETZ Square 5*5MM Electrode	Ø2.36MM

 EL2V7A,Loop Square (A)10MM x (B)8MM		
PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER
EL2V71	LLETZ Square 10*5MM Electrode	Ø2.36MM
EL2V7A	LLETZ Square 10*8MM Electrode	Ø2.36MM
EL2V75	LLETZ Square10*10MM Electrode	Ø2.36MM



GYNCOLOGY SURGERY SOLUTION

Microfin Disposable Electrode

Micro-Level Accuracy For Delicate Procedures



The Disposable Microfin Electrode is engineered for precision and performance across multiple specialties, including Aesthetic & Dermatologic Surgery (Skin Lesion Removal, Scar Revision), ENT (Nasal Polyp Excision), and Dentistry (Gingival Sculpting) etc.

Its ultra-fine design allows for exceptional control in delicate procedures, while broad compatibility with electrosurgical systems ensures minimal tissue damage and reduced thermal spread - enhancing both safety and surgical outcomes.

MicroFin



Round Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM • Ø 13MM	Triangle Loop Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	Diamond Loop Electrode Available Size • Ø 3MM • Ø 5MM • Ø 8MM
Ball Electrode Available Size • Ø 2.3MM • Ø 4.3MM	Needle Electrode Available Size • Ø 4MM • Ø 7MM • Ø 10MM	Blade Electrode Available Size • Ø 25MM

Micro Precision. Maximum Performance



Ultra-Precision Design

- **Equipped with 0.2MM fine tungsten wire tip** for ultra-precise incisions, minimizing scarring and thermal spread.
- Ideal for dermatology, cosmetic surgery, dentistry, and ENT applications.



Safety & Sterility

- Gold-plated copper provides excellent **conductivity, corrosion resistance**, and a non-stick surface for optimal performance.
- Pre-sterilized, single-use design ensures safety and minimizes cross-contamination risk.



Flexible & Adaptable

- **Gold-plated copper base** allows for manual bending.
- Adapting easily to anatomical contours for clean, precise cuts with minimal tissue trauma.



Variety of Options

- **Multiple tip options** - loop, ball, needle, and blade - to suit diverse clinical applications.
- Available in Ø1.6mm and Ø2.36mm shaft diameters.
- Compatible with most ESU generators for cutting and coagulation.

Microfin Blade Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1B2S	Disposable Microfin Blade Electrode	1.6MM	25MM
EM2B2S	Disposable Microfin Blade Electrode	2.36MM	25MM

Microfin Ball Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	BALL DIAMETER(MM)
EM1S2A	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2A	Disposable Microfin Ball Electrode	2.36MM	4.3MM
EM1S2P	Disposable Microfin Ball Electrode	1.6MM	2.3MM
EM2S2P	Disposable Microfin Ball Electrode	2.36MM	4.3MM

Microfin Bend Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EM1BR2R	Disposable Microfin Bend Needle Electrode	1.6MM	10MM
EM2BR2R	Disposable Microfin Bend Needle Electrode	2.36MM	10MM

Microfin Bend Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1BR2R	Disposable Microfin Tungsten Wire Needle Electrode	1.6MM	10MM
EL2BR2R	Disposable Microfin Tungsten Wire Needle Electrode	2.36MM	10MM

Microfin Fine Wire Needle Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	WORKING LENGTH(MM)
EL1WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	1.6MM	10MM
EL2WN2R	Disposable Microfin Tungsten Fine Wire Needle Electrode	2.36MM	10MM

Microfin Round Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	4MM
EL2R2B	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	4MM
EL1R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	7MM
EL2R2Q	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	7MM
EL1R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	10MM
EL2R2R	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	10MM
EL1R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	1.6MM	13MM
EL2R2E	Disposable Microfin Round Loop Tungsten Wire Electrode	2.36MM	13MM

Microfin Diamond Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	3MM
EL2D20	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	3MM
EL1D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	5MM
EL2D2C	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	5MM
EL1D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	1.6MM	8MM
EL2D2D	Disposable Microfin Diamond Loop Tungsten Wire Electrode	2.36MM	8MM


Microfin Triangle Loop Electrode



PRODUCT CODE	PRODUCT DESCRIPTION	SHAFT DIAMETER (MM)	LOOP DIAMETER (MM)
EL1T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	4MM
EL2T2B	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	4MM
EL1T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	7MM
EL2T2Q	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	7MM
EL1T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	1.6MM	10MM
EL2T2R	Disposable Microfin Triangle Loop Tungsten Wire Electrode	2.36MM	10MM

Disposable Micro Needle Electrode


Needle Sharp Precision For Fine Electrosurgical Work



Promed's MicroFin Needle Electrode offers a variety of configurations for different surgical procedures. Its ultra-sharp design, combined with fine tungsten wire, ensures precise control and minimizes tissue damage during accurate dissection. The fine needle tip concentrates electrosurgical energy, maintaining sharpness and allowing for lower power settings.



MicroFin



Universal Compatibility:

Designed for seamless integration with most standard electrosurgical handpieces.

Ultra-Fine Tungsten Alloy Tip:

Crafted from high heat-resistant tungsten alloy, the Ø0.032MM ultra-sharp, highly polished needle maintains its sharpness even under intense operating conditions.

Enhanced Safety Design:

Equipped with precision shrink wrap insulation to minimize the risk of unintended electrical contact.

Energy Efficient:

The superior conductivity of the tungsten tip allows for effective performance at lower power settings, reducing thermal damage to surrounding tissue

Disposable MicroFin Needle Electrode - Straight Tip

- Tungsten Wire , Ultra Sharp, Straight Tip
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
50MM	EM2305-1	EM2505-1	EM2705-1
60MM	EM2306-1	EM2506-1	EM2706-1
70MM	EM2307-1	EM2507-1	EM2707-1
102MM	EM2310-1	EM2510-1	EM2710-1
152MM	EM2315-1	EM2515-1	EM2715-1
Post Diameter 1.6MM		PRODUCT CODE	
50MM	EM1305-1	EM1505-1	EM1705-1
60MM	EM1306-1	EM1506-1	EM1706-1
70MM	EM1307-1	EM1507-1	EM1707-1
102MM	EM1310-1	EM1510-1	EM1710-1
152MM	EM1315-1	EM1515-1	EM1715-1

Disposable MicroFin Needle Electrode - Straight Tip With Hex Lock

- Tungsten Wire , Ultra Sharp, Straight Tip, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-1H	EM2510-1H	EM2710-1H
152MM	EM2315-1H	EM2515-1H	EM2715-1H

Disposable MicroFin Needle Electrode - 45° Angled, 3MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
50MM	EM2305-2	EM2505-2	EM2705-2
60MM	EM2306-2	EM2506-2	EM2706-2
70MM	EM2307-2	EM2507-2	EM2707-2
102MM	EM2310-2	EM2510-2	EM2710-2
152MM	EM2315-2	EM2515-2	EM2715-2
Post Diameter 1.6MM		PRODUCT CODE	
50MM	EM1305-2	EM1505-2	EM1705-2
60MM	EM1306-2	EM1506-2	EM1706-2
70MM	EM1307-2	EM1507-2	EM1707-2
102MM	EM1310-2	EM1510-2	EM1710-2
152MM	EM1315-2	EM1515-2	EM1715-2

Disposable MicroFin Needle Electrode - 45° Angled, 3MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 3mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM) LENGTH(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-2H	EM2510-2H	EM2710-2H
152MM	EM2315-2H	EM2515-2H	EM2715-2H

Disposable MicroFin Needle Electrode - 45° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
LENGTH(MM)			
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-3	EM2506-3	EM2706-3
70MM	EM2307-3	EM2507-3	EM2707-3
102MM	EM2310-3	EM2510-3	EM2710-3
152MM	EM2315-3	EM2515-3	EM2715-3
Post Diameter 1.6mm		PRODUCT CODE	
60MM	EM1306-3	EM1506-3	EM1706-3
70MM	EM1307-3	EM1507-3	EM1707-3
102MM	EM1310-3	EM1510-3	EM1710-3
152MM	EM1315-3	EM1515-3	EM1715-3

Disposable MicroFin Needle Electrode - 45° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 45° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
LENGTH(MM)			
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-3H	EM2510-3H	EM2710-3H
152MM	EM2315-3H	EM2515-3H	EM2715-3H

Disposable MicroFin Needle Electrode - 90° Angled, 10MM

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm
- Sterilized Package, 10pcs per Box



NEEDLE SHAFT DIAMETER(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
LENGTH(MM)			
Post Diameter 2.36MM		PRODUCT CODE	
60MM	EM2306-4	EM2506-4	EM2706-4
70MM	EM2307-4	EM2507-4	EM2707-4
102MM	EM2310-4	EM2510-4	EM2710-4
152MM	EM2315-4	EM2515-4	EM2715-4
Post Diameter 1.6MM		PRODUCT CODE	
60MM	EM1306-4	EM1506-4	EM1706-4
70MM	EM1307-4	EM1507-1	EM1707-4
102MM	EM1310-4	EM1510-1	EM1710-4
152MM	EM1315-4	EM1515-1	EM1715-4

Disposable MicroFin Needle Electrode - 90° Angled, 10MM With Hex Lock

- Tungsten Wire , Ultra Sharp, 90° Angled, 10mm, Hex Lock
- Sterilized Package, 10pcs per Box




NEEDLE SHAFT DIAMETER(MM)			
	Ø 0.3MM	Ø 0.5MM	Ø 0.7MM
LENGTH(MM)			
Post Diameter 2.36MM		PRODUCT CODE	
102MM	EM2310-4H	EM2510-4H	EM2710-4H
152MM	EM2315-4H	EM2515-4H	EM2715-4H

Disposable Laparoscopic Electrode

Reliable Energy For Minimally Invasive Surgery



Promed Supply offers high-quality disposable monopolar laparoscopic electrodes for enhanced safety in minimally invasive surgeries. With various tip styles and stainless steel or Teflon coatings, they provide versatile options for surgeons and fit standard electrosurgery pencils.




- **Shaft diameter:** Ø2.36mm or Ø4mm, fit most electrosurgery pencils
- **Electrode diameter:** Ø5mm
- **Length:** 33cm or 45cm
- **Tip styles:** L-Wire, L-Hook, J-Wire, J-Hook, Needle, Blade, Ball, etc.
- **Finishing:** Stainless Steel or Non Stick PTFE Teflon Coated

Optional Finishing



33cm, Ø2.36mm Shaft, L Wire Electrode



45cm, Ø4mm Shaft, Needle Electrode

Disposable Laparoscopic Electrode, 33cm

- Shaft Length 33CM
- Packaged Sterile, 6pcs per Box



PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -33MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW33S2	LE-LW33T2
		Ø4.0MM	LE-LW33S4	LE-LW33T4
	L-Hook	Ø2.36MM	LE-LH33S2	LE-LH33T2
		Ø4.0MM	LE-LH33S4	LE-LH33T4
	J-Wire	Ø2.36MM	LE-JW33S2	LE-JW33T2
		Ø4.0MM	LE-JW33S4	LE-JW33T4
	J-Hook	Ø2.36MM	LE-JH33S2	LE-JH33T2
		Ø4.0MM	LE-JH33S4	LE-JH33T4
	Round Wire	Ø2.36MM	LE-RW33S2	LE-RW33T2
		Ø4.0MM	LE-RW33S4	LE-RW33T4
	Ball	Ø2.36MM	LE-BA33S2	LE-BA33T2
		Ø4.0MM	LE-BA33S4	LE-BA33T4
	Needle	Ø2.36MM	LE-NE33S2	LE-NE33T2
		Ø4.0MM	LE-NE33S4	LE-NE33T4
	Concial Needle Tip	Ø2.36MM	LE-CN33S2	LE-CN33T2
		Ø4.0MM	LE-CN33S4	LE-CN33T4
	Blade	Ø2.36MM	LE-BL33S2	LE-BL33T2
		Ø4.0MM	LE-BL33S4	LE-BL33T4
	Curve Spatula	Ø2.36MM	LE-SP33S2	LE-SP33T2
		Ø4.0MM	LE-SP33S4	LE-SP33T4
	Round Spatula	Ø2.36MM	LE-RS33S2	LE-RS33T2
		Ø4.0MM	LE-RS33S4	LE-RS33T4

Disposable Laparoscopic Electrode, 45cm


- Shaft Length 45CM
- Packaged Sterile, 6pcs per Box





PRODUCT	TIP STYLE	SHAFT DIAMETER (MM)	SHAFT LENGTH -45MM	
			OPTIONAL FINISHING	
			STAINLESS	TEFLON COAT
	L- Wire	Ø2.36MM	LE-LW45S2	LE-LW45T2
		Ø4.0MM	LE-LW45S4	LE-LW45T4
	L-Hook	Ø2.36MM	LE-LH45S2	LE-LH45T2
		Ø4.0MM	LE-LH45S4	LE-LH45T4
	J-Wire	Ø2.36MM	LE-JW45S2	LE-JW45T2
		Ø4.0MM	LE-JW45S4	LE-JW45T4
	J-Hook	Ø2.36MM	LE-JH45S2	LE-JH45T2
		Ø4.0MM	LE-JH45S4	LE-JH45T4
	Round Wire	Ø2.36MM	LE-RW45S2	LE-RW45T2
		Ø4.0MM	LE-RW45S4	LE-RW45T4
	Ball	Ø2.36MM	LE-BA45S2	LE-BA45T2
		Ø4.0MM	LE-BA45S4	LE-BA45T4
	Needle	Ø2.36MM	LE-NE45S2	LE-NE45T2
		Ø4.0MM	LE-NE45S4	LE-NE45T4
	Concial Needle Tip	Ø2.36MM	LE-CN45S2	LE-CN45T2
		Ø4.0MM	LE-CN45S4	LE-CN45T4
	Blade	Ø2.36MM	LE-BL45S2	LE-BL45T2
		Ø4.0MM	LE-BL45S4	LE-BL45T4
	Curve Spatula	Ø2.36MM	LE-SP45S2	LE-SP45T2
		Ø4.0MM	LE-SP45S4	LE-SP45T4
	Round Spatula	Ø2.36MM	LE-RS45S2	LE-RS45T2
		Ø4.0MM	LE-RS45S4	LE-RS45T4

Disposable Laparoscopic Instrument

High-Performance Tool For MIS



Promed’s disposable monopolar laparoscopic instruments are specifically engineered for minimally invasive surgical procedures, prioritizing surgeon comfort, safety, and ease of use. Available with either single or double action jaws, they deliver precise control, enhanced tactile feedback, and are equipped with a standard monopolar connection for seamless integration with electrosurgical systems.



- 1 Ergonomic handles for optimal comfort and control
- 2 Large finger rings to reduce fatigue during prolonged use
- 3 360° fingertip rotation for precise tip orientation
- 4 On/Off ratchet mechanism for enhanced precision and control




- 5 Smooth jaw movement with maximum opening
- 6 Sterilized and ready-to-use for OR staff
- 7 330mm shaft length
- 8 Sterile Packing
- 9 10pcs/Box




PRODUCT	STYLE	ARTICULATION	JAW LENGTH (MM)	SHAFT LENGTH (MM)	WITH RATCHET	WITHOUT RATCHET
	Straight Scissor	Double	13MM	330MM	/	L09S-330-2
	Curve Scissor	Double	13MM	330MM	/	L09C-330-2
	Hook Scissor	Double	15MM	330MM	/	L09G-330-1
	Maryland Forceps	Double	18MM	330MM	L18ML-1-330-2	L18ML-0-330-2
	Duck Bill Forceps	Double	18MM	330MM	L18DB-1-330-2	L18DB-0-330-2
	Endoclinch Forceps	Double	20MM	330MM	L19EC-1-330-2	L19EC-0-330-2
	Claw Forceps	Single	22MM	330MM	L21-330-1	/
	Mixer Dissector	Double	21MM	330MM	L18M-0-330-2	/
	Badcock Forceps	Double	28MM	330MM	L19BC-1-330-2	/
	Biopsy Forceps	Single	17MM	330MM	/	L21-330-1
	Biopsy Forceps with Pin	Single	17MM	330MM	/	L05-330-2

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr



Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case



Disposable Suction Irrigator

Clean Precision , Seamless Conrol

Engineered to streamline surgical workflows, Promed’s Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.



Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case

GYNECOLOGY SURGERY SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing

Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.



The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.

Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.

Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box




PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM




Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable


- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE L×W×H (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MM×31MM×11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MM×31MM×11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MM×31MM×11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.




Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.




Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil

Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable

- **Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.

- **Slim, Oval Triangular Grip**
Ensures improved access and visibility.

- **Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.

- **Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.

- **Slide-to-Extend up to 60mm**
By pushing the button forward, the housing can extend up to 60mm to reach deeper into surgical cavities.

- **Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198mm.

68MM-198MM

Hassle-free work-length adjust

Full extension



Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



With common ES Pencil

With SmokeFin

Accessories

Nose Cone



- 3 sizes of nose cones fit for 63.5/69/120MM electrodes
- Transparent, equipped with radiopaque identifier (xray-detectable)

Electrodes



- Standard 50MM
Optional 63.5/69/120MM
- Modified blade electrode (shrink wrap insulation), coated or non-coated

Cable and Tubing



- Standard 3 meter or 4.5 meter
- 22MM filter port adaptor
- Y-connection

LLETZ/ LEEP electrode



- Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil

- Sterile Packing
- Packing: 5pcs/Box



PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In -1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories


• Tips Size



• Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides;
Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar

Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.



Lightweight, compact design for easy handling and reduced fatigue.

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.

*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug



Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug

ORTHOPEDIC SURGERY SOLUTION

General Disposable Electrode

Safe & Efficient Energy Transmission



Promed's disposable electrosurgical electrodes—offered in blade, needle, and ball shapes—deliver precise cutting and coagulation. Available in various lengths with stainless steel or Teflon-coated shafts, and in over-molded or shrink-wrapped designs, they are fully compatible with standard monopolar pencils, ensuring accuracy, control, and dependable performance in every procedure.



Overmold with Hex without Hex collar



Hex Collar with Shrink Wrap



Hex Collar with Shrink Wrap (High Insulation)




Shrink Wrap



Shrink Wrap (High Insulation)



Optional Finishing for Disposable Electrode



Stainless Steel

Teflon Coated

Disposable Blade Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box



		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Blade			
	69MM	EB22M2	EB22M2T
	153MM	EB26M2	EB26M2T
Hex Collar with Shrink Wrap			
	102MM	EB24P2	EB24P2T
	152MM	EB26P2	EB26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EB22S2	EB22S2T
	102MM	EB24S2	EB24S2T
	152MM	EB26S2	EB26S2T
Shrink Wrap			
	69MM	EB22M2-H	EB22M2T-H
	102MM	EB24M2-H	EB24M2T-H
	152MM	EB26M2-H	EB26M2T-H
Shrink Wrap, High Insulation			
	69MM	EB22S2-H	EB22S2T-H
	102MM	EB24S2-H	EB24S2T-H
	152MM	EB26S2-H	EB26S2T-H

Disposable Needle Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box




		PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Needle			
	69MM	EN22M2	EN22M2T
	153MM	EN26M2	EN26M2T
Hex Collar with Shrink Wrap			
	102MM	EN24P2	EN24P2T
	152MM	EN26P2	EN26P2T
Hex Collar with Shrink Wrap, High Insulation			
	69MM	EN22S2	EN22S2T
	102MM	EN24S2	EN24S2T
	152MM	EN26S2	EN26S2T
Shrink Wrap			
	69MM	EN22M2-H	EN22M2T-H
	102MM	EN24M2-H	EN24M2T-H
	152MM	EN26M2-H	EN26M2T-H
Shrink Wrap, High Insulation			
	69MM	EN22S2-H	EN22S2T-H
	102MM	EN24S2-H	EN24S2T-H
	152MM	EN26S2-H	EN26S2T-H

Disposable Ball Electrode

- Ø 2.36mm Shaft Diameter
- Packaged Sterile, 50pcs per Box




			PRODUCT CODE	
PRODUCT DESCRIPTION	LENGTH (MM)	LENGTH (MM)	FINISHING-STAINLESS STEEL	OPTIONAL FINISHING-TEFLON COATING
Overmold with Hex, Standard Ball				
	3MM	69MM	ES22M3	ES22M3T
	5MM	71MM	ES22M4	ES22M4T
	3MM	133MM	ES26M3	ES26M3T
	5MM	136MM	ES26M4	ES26M4T
Hex Collar with Shrink Wrap				
	3MM	69MM	ES22S3	ES22S3T
	5MM	71MM	ES22S4	ES22S4T
	3MM	102MM	ES24S3	ES24S3T
	5MM	107MM	ES24S4	ES24S4T
	3MM	134MM	ES26S3	ES26S3T
	5MM	136MM	ES26S4	ES26S4T
Shrink Wrap				
	3MM	69MM	ES22M3-H	ES22M3T-H
	5MM	71MM	ES22M4-H	ES22M4T-H
	3MM	101MM	ES24M3-H	ES24M3T-H
	5MM	107MM	ES24M4-H	ES24M4T-H
	3MM	134MM	ES26M3-H	ES26M3T-H
	5MM	136MM	ES26M4-H	ES26M4T-H

Disposable Arthroscopic Electrode

Flexible & Focused energy for Arthroscopy



Promed Arthroscopic Electrodes are designed for cutting and coagulating soft tissue in arthroscopic procedures. Compatible with Ø2.36MM shaft electro-surgical pencils, they are disposable and available in various tip configurations for use with irrigating solutions.




Insulation extends to the electrode tip, ensuring precise and controlled energy delivery.

The transparent insulation enhances the surgeon's visibility of the electrode tip for improved precision.

The stabilizing cap ensures a secure, safe connection between the electrode and pencil operation.

Compatible with Promed's PD702 pencil for easy conversion.



Optional Anti-Rotation



Hexgon lock to pair with PROMED PD702 ES Pencil

Optional Finishing



Disposable Arthroscopic Electrode

- Shaft Diameter: Ø2.36MM; Length: 175MM (cap to electrode)
- Available in the finishing of Stainless Steel or Teflon Coating
- Sterilization Packaging
 - Electrodes Only :1pcs/Pouch, 50pcs/Box
 - PD702 Pencil: 1pcs/Tyvek Pouch, 10pcs/Box (Optional)



PRODUCT	PRODUCT DESCRIPTION	PRODUCT CODE			
		STAINLESS STEEL TIP	TEFLON COAT TIP	STAINLESS STEEL TIP	TEFLON COAT TIP
Options -W or W/ Hexagon Lock		 without hexagon lock		 with hexagon lock	
	Transparent Insulated Hook Electrode, 90°	EA801S	EA801T	EA801S-H	EA801T-H
	Transparent Insulated Hook Electrode, 45°	EA802S	EA802T	EA802S-H	EA802T-H
	Transparent Insulated Angled Blade Electrode	EA803S	EA803T	EA803S-H	EA803T-H
	Uninsulated Angled Blade Electrode	EA804S	EA804T	EA804S-H	EA804T-H


PRODUCT		PRODUCT DESCRIPTION	STAINLESS STEEL TIP	TEFLON COAT TIP
		PS702 Pencil with Transparent Insulated Hook Electrode, 90°	PDA801S-H	PDA801T-H
		PS702 Pencil with Transparent Insulated Hook Electrode, 45°	PDA802S-H	PDA802T-H
		PS702 Pencil with Transparent Insulated Angled Blade Electrode	PDA803S-H	PDA803T-H
		PS702 Pencil with Uninsulated Angled Blade Electrode	PDA804S-H	PDA804T-H

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr



Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case



Disposable Suction Irrigator

Clean Precision , Seamless Control

Engineered to streamline surgical workflows, Promed's Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.



Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case


ORTHOPEDIC SURGERY SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing



Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.




The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.

Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.



Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing:1PC/1 Aluminum Pouch, 25pcs/Box




GM900, Disposable Ground Pad, Monopolar, Vertical, Adult

PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM




Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable

- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE LxWxH (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MMx31MMx11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.




Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.



Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil

Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable

- **Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.

- **Slim, Oval Triangular Grip**
Ensures improved access and visibility.

- **Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.

- **Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.

- **Slide-to-Extend up to 60mm**
By pushing the button forward, the housing can extend up to 60mm to reach deeper into surgical cavities.

- **Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198mm.

68MM-198MM

Hassle-free work-length adjust

Full extension



Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



With common ES Pencil

With SmokeFin

Accessories

Nose Cone



- 3 sizes of nose cones fit for 63.5/69/120MM electrodes
- Transparent, equipped with radiopaque identifier (xray-detectable)

Electrodes



- Standard 50MM
Optional 63.5/69/120MM
- Modified blade electrode (shrink wrap insulation), coated or non-coated

Cable and Tubing



- Standard 3 meter or 4.5 meter
- 22MM filter port adaptor
- Y-connection

LLETZ/ LEEP electrode



- Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil

- Sterile Packing
- Packing: 5pcs/Box



PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In -1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories


Tips Size



Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides;
Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar

Disposable Electrosurgical Pencil

Power At Your Fingertips



- Equipped with stainless steel and Teflon-coated blade to reduce tissue adhesion.
- Lightweight, ergonomic design with push-button activation for precise control.
- Universally compatible with Ø2.36mm electrodes and most ESU generators.
- Offered with 3m or 5m flexible cable options for enhanced maneuverability.
- CE-certified and rated for up to 5 kVp accessory voltage.



Disposable Electrosurgical Pencil

- Fit for with Ø 2.36mm Electrode (Stainless Steel / Teflon Coated Blade).
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD702T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD702B	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD400T	Teflon Coated Blade	168MM	3M	3 Prong Plug
PD400S	Standard Blade	168MM	3M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513	Stamping Blade	168MM	3M	3 Prong Plug
PD513P5	Stamping Blade	168MM	5M	3 Prong Plug



PRODUCT CODE	BLADE TYPE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD513T	Teflon Coated Blade	168MM	3M	3 Prong Plug

Disposable Microfin Electrosurgical Pencil

Exceptional Precision for Micro-Electrosurgery



Cut and coagulation buttons are conveniently positioned near the surgical site for improved control, precision, and smooth electrode handling.

Compatible with ultra-fine Ø1.6mm electrode for superior surgical precision.

Lightweight, compact design for easy handling and reduced fatigue.

PD833W - Ø 1.6MM

PD833 - Ø 2.36MM

Compatible with standard Ø2.36mm electrodes for versatile surgical applications.

*** Electrode is not included with the ESU pencil ***

Disposable Microfin Electrosurgical Pencil

- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	ELECTRODE DIAMETER	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PD833W	Ø 1.6MM	106MM	3M	3 Prong Plug
PD833	Ø 2.36MM	106MM	3M	3 Prong Plug



Reusable Electrosurgical Pencil

Reliable, Reusable, and Cost-Effective



Reusable for up to 30/50/100 cycles, reducing long-term operating costs.

Push-button activation enables precise and efficient electrosurgical performance.

Ergonomic and lightweight design for enhanced surgeon comfort and control.

Compatible with 2.36mm electrodes and most standard electrosurgical units.

Reusable Electrosurgical Pencil

- Fit with Ø 2.36mm Electrode
- Sterile Packing
- Packing:10pcs/Box



PRODUCT CODE	BLADE TYPE	REUSABLE	HOUSING LENGTH(MM)	CABLE LENGTH(M)	PLUG TYPE
PR306P	Standard Reusable Blade	30 Cycles	163MM	3M	3 Prong Plug
PR307P	Standard Reusable Blade	50 Cycles	163MM	3M	3 Prong Plug
PR310P	Standard Reusable Blade	100 Cycles	163MM	3M	3 Prong Plug

NEUROSURGERY SOLUTION

Reusable Bipolar Forceps

Durable Precision For Bipolar Coagulation



Promed's Reusable Bipolar Forceps are available in a variety of lengths, tip sizes, and designs, including Bayonet, Jewelers, Adson, and Straight, to suit diverse surgical needs.

Engineered for optimal performance, the polished stainless-steel tips reduce eschar buildup, ensuring smooth operation. The ergonomic, balanced handles minimize hand fatigue, enhancing comfort and precision. Designed for durability, they withstand up to 20 autoclave cycles.



Polished Stainless Steel Tips

Secure grasping and coagulation at lower power, reducing tissue damage and eschar buildup.

Insulated Stainless Steel Body

Prevents electrical leakage for enhanced safety.

Precise Handle Spring Tension

Ensuring consistent dissection pressure and maintaining accurate tip alignment.

Platform-Like Tip Design

Increases resistance and enhances coagulation with controlled heat.


Ergonomic, Well-Balanced Handles

Provides balance and comfort reducing hand fatigue.

STYLE	LENGTH(MM)	TIP WIDTH (MM)
Bayonet Straight	180/200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Down	200/220/240MM	0.5/1.0/2.0MM
Bayonet Angled Up	200/220/240MM	0.5/1.0/2.0MM
Straight	140/180/200/220/240MM	0.5/1.0/2.0MM
Adson	130MM	0.5/1.0MM
Jeweler	110MM	0.5MM

Straight Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non-sterile, 1 each per pack



FST0205, Length 200mm, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight Tip, 2 Pins Connector					
0.5MM	FST0145	FST0185	FST0205	/	/
1.0MM	FST0141	FST0181	FST0201	FST0221	FST0241
2.0MM	FST0142	FST0182	FST0202	FST0222	FST0242
Straight Tip, Flat Connector					
0.5MM	FST1145	FST1185	FST1205	/	/
1.0MM	FST1141	FST1181	FST1201	FST1221	FST1241
2.0MM	FST1142	FST1182	FST1202	FST1222	FST1242



FAG0205, Length 200mm, Straight, Angled Tip, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Straight, Angled Tip, 2 Pins Connector					
0.5MM	/	FAG0185	FAG0205	/	/
1.0MM	/	FAG0181	FAG0201	FAG0221	FAG0241
2.0MM	/	FAG0182	FAG0202	FAG0222	FAG0242
Straight, Angled Tip, Flat Connector					
0.5MM	/	FAG1185	FAG1205	/	/
1.0MM	/	FAG1181	FAG1201	FAG1221	FAG1241
2.0MM	/	FAG1182	FAG1202	FAG1222	FAG1242

Bayonet Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



FBD0205, Length 200mm, Bayonet, Angled Down, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Down, 2 Pins Connector					
0.5MM	/	/	FBD0205	FBD0225	/
1.0MM	/	/	FBD0201	FBD0221	FBD0241
2.0MM	/	/	FBD0202	FBD0222	/
Bayonet, Angled Down, Flat Connector					
0.5MM	/	/	FBD1205	FBD1225	/
1.0MM	/	/	FBD1201	FBD1221	FBD1241
2.0MM	/	/	FBD1202	FBD1222	/



FBS0205, Length 200mm, Bayonet, Straight, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Straight Tip, 2 Pins Connector					
0.5MM	/	FBS0185	FBS0205	FBS0225	FBS0245
1.0MM	/	FBS0181	FBS0201	FBS0221	FBS0241
2.0MM	/	FBS0182	FBS0202	FBS0222	/
Bayonet, Straight Tip, Flat Connector					
0.5MM	/	FBS1185	FBS1205	FBS1225	FBS1245
1.0MM	/	FBS1181	FBS1201	FBS1221	FBS1241
2.0MM	/	FBS1182	FBS1202	FBS1222	/




FBU0205, Length 200mm,Bayonet, Angled Up, 0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)				
	140MM	180MM	200MM	220MM	240MM
Bayonet, Angled Up, 2 Pins Connector					
0.5MM	/	/	FBU0205	FBU0225	/
1.0MM	/	/	FBU0201	FBU0221	FBU0241
2.0MM	/	/	FBU0202	FBU0222	/
Bayonet, Angled Up, Flat Connector					
0.5MM	/	/	FBU1205	FBU1225	/
1.0MM	/	/	FBU1201	FBU1221	FBU1241
2.0MM	/	/	FBU1202	FBU1222	/

Jewelers Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack




MJE0115,Length 110mm, Jewelers,0.5mm Tip Width, 2 Pins Connector

TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	110MM
Jeweler, 2 Pins Connector 	
0.5MM	MJE0115
1.0MM	/
Jeweler, Flat Connector 	
0.5MM	MJE1115
1.0MM	/

Adson Reusable Bipolar Forceps

- High polished stainless-steel surface
- Packaged non- sterile, 1 each per pack



MAD0135,Length 130mm, Adson,0.5mm Tip Width, 2 Pins Connector


TIP WIDTH (MM)	FORCEPS LENGTH(MM)
	130MM
Adson, 2 Pins Connector 	
0.5MM	MAD0135
1.0MM	MAD0131
Adson, Flat Connector 	
0.5MM	MAD1135
1.0MM	MAD1131

Suction Coagulator

Dual Function :Suction & Coagulation



Tube Diameter 8Fr/10Fr/12Fr



Type	Footswitch or Hand Switch
Size Available	8Fr,10Fr,12Fr
Suction:	Place Finger Over Suction Vent on Handle
Handle:	Ergonomically Designed White ABS
Cannula Insulation:	Blue Polyolefin
Obturator:	Polypropylene Cleaning Tube and Protective Insert for Bending
Suction Tubing:	6mm or 5mm Tubing Compatible
Cable:	3m(10ft)/5m(15ft)for both Footswitch and Handswitch

Handswitch Suction Coagulators

PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08H	8fr	3M	15/Case
	SC10H	10fr	3M	15/Case
	SC12H	12fr	3M	15/Case

Footswitch Suction Coagulators


PRODUCT	CODE	TUBE DIAMETER	CABLE LENGTH(M)	PACKING
	SC08F	8fr	3M	15/Case
	SC10F	10fr	3M	15/Case
	SC12F	12fr	3M	15/Case



Disposable Suction Irrigator

Clean Precision , Seamless Conrol

Engineered to streamline surgical workflows, Promed’s Suction Irrigator integrates simultaneous suction and irrigation in a unified system. Featuring an ergonomic design and standardized connectivity, it maintains optimal visibility during procedures while supporting precision in fluid evacuation and targeted irrigation.



Order Information

PRODUCT CODE	PRODUCT DESCRIPTION	PACKING
SI0528PD	Disposable Suction Irrigator, Ø5.36mmx28cm Composites Probe,Double Spikes	20/Case
SI0533PD	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Double Spikes	20/Case
S10545PD	Disposable Suction Irrigator, Ø5.36mmx45cm Composites Probe,Double Spikes	20/Case
S10528PS	Disposable Suction Irrigator, Ø5.36mm X28cm Composites Probe,Single Spike	20/Case
S10533PS	Disposable Suction Irrigator, Ø5.36mmx 33cm Composites Probe,Single Spike	20/Case
SI0545PS	Disposable Suction Irrigator, Ø5.36mm X45cm Composites Probe,Single Spike	20/Case

NEUROSURGERY SOLUTION

Disposable Ground Pad & Cable

Skin-Friendly · Single-Use · Burn-Reducing



Promed's Disposable Grounding Pad offers safe, reliable grounding during electrosurgery. Its soft foam and hydrogel ensure secure, comfortable adhesion while optimizing energy transfer. Skin-friendly, single-use, and burn risk-reducing.




The **Round edge design** evenly distributes current, reducing concentrated areas and minimizing the risk of patient

The **Biocompatible hydrogel** adhesive provides instant, consistent and comfortable impedance upon skin contact.

The **highly flexible adhesive foam** border and conductive gel ensure secure electrode placement.

Highly compatible with most electrosurgical generators, supporting bipolar and monopolar designs in various sizes.



Disposable Grounding Pad Without Cable

- Non-Sterile Packing
- Packing:1PC/1 Aluminum Pouch, 25pcs/Box




PRODUCT	PRODUCT CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)
	GM100	Monopolar	Vertical	Pediatric	148MM*90MM
	GM900	Monopolar	Vertical	Adult	204MM*106MM
	GB100	Bipolar	Vertical	Pediatric	148MM*90MM
	GB900	Bipolar	Vertical	Adult	204MM*106MM
	GM100H	Monopolar	Horizontal	Pediatric	166MM*90MM
	GM900H	Monopolar	Horizontal	Adult	206MM*104MM
	GB100H	Bipolar	Horizontal	Pediatric	166MM*90MM
	GB900H	Bipolar	Horizontal	Adult	206MM*104MM





Disposable Grounding Pad Integrated With Cable

- Prewired with single-use cable permanently attached
- Cable Length: 2.8 Meter
- Non-Sterile Packing
- Packing: 1PC/1 Aluminum Pouch, 25pcs/Box



PRODUCT	CODE	STYLE	SHAPE	USE FOR	SIZE (LENGTH X WIDTH) (MM)	PLUG TYPE
	GM110	Monopolar	Vertical	Pediatric	148MM*90MM	Non-REM Plug
	GM910	Monopolar	Vertical	Adult	204MM*106MM	Non-REM Plug
	GB110	Bipolar	Vertical	Pediatric	148MM*90MM	REM- Plug
	GB910	Bipolar	Vertical	Adult	204MM*106MM	REM- Plug
	GM110H	Monopolar	Horizontal	Pediatric	166MM*90MM	Non-REM Plug
	GM910H	Monopolar	Horizontal	Adult	206MM*104MM	Non-REM Plug
	GB110H	Bipolar	Horizontal	Pediatric	166MM*90MM	REM- Plug
	GB910H	Bipolar	Horizontal	Adult	206MM*104MM	REM- Plug



Disposable Detachable Grounding Pad Cable

- Non-Sterile Packing
- PE Bag, 50pcs/Box



PRODUCT	CODE	PLUG TYPE	CABLE TYPE	CABLE LENGTH(M)	CLIP SIZE LxWxH (MM)
	GC2VR	Valley Lab REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2VN	Valley Lab Non-REM Plug	PVC	3 Meters	54MMx31MMx11MM
	GC2HF6	6.3mm Hi-Fi Plug	PVC	3 Meters	54MMx31MMx11MM

Disposable Skin Stapler & Remover

Fast & Safe & Consistent



Disposable Skin Stapler

- Precise staple forming ensures optimal wound approximation and healing.
- Consistent, smooth, and safe actuation provides accurate staple depth.
- Preloaded with medical-grade stainless steel staples for reliable closure.
- EO is sterilized and designed for single-use to guarantee maximum hygiene.
- A transparent window allows easy monitoring of remaining staples.



Staple Dimensions

Open	14mm 3.2mm
Closed	W 6.5+0.5/-0.2mm H 4.7+0.5/-0.4mm

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SW904-15W	Disposable Skin Stapler SW904,15W	15PCS	6/Case
SW904-25W	Disposable Skin Stapler SW904,25W	25PCS	6/Case
SW904-35W	Disposable Skin Stapler SW904,35W	35PCS	6/Case

Disposable Skin Staple Remover

Promed's Disposable Skin Stapler Remover features an angled tip for easy access and precise staple removal. Designed for gentle tissue handling, it minimizes patient discomfort during procedures. Its simple, user-friendly mechanism ensures efficient and safe use by medical professionals. Sterile and disposable, it supports optimal hygiene and convenience in clinical settings.



Precision-Engineered Tip	Designed to securely grip and remove staples without causing trauma to surrounding tissue.
Angled Tip Design	Allows for easy access and optimal visibility, especially in hard-to-reach areas.
Ergonomic Handle	Comfortable, non-slip grip for controlled and accurate removal.
Sterile & Single-Use	Pre-sterilized and disposable to prevent cross-contamination and ensure patient safety.
Lightweight & Easy to Use	Compact and lightweight design minimizes hand fatigue and enhances ease of use during procedures.
Durable Medical-Grade Material	Made from high-quality plastic and stainless steel components for reliable performance.

PRODUCT CODE	PRODUCT DESCRIPTION	STAPLE	STERILE PACKING
SROOD1	Disposable Skin Staple Remover	15PCS	10/Case

Telescopic Smoke Evacuation Pencil

Slide-To-Extend Technology For Complete Surgical Control



SmokeFin

Smart · Clear · Ergonomic · Disposable

- Enhanced Ergonomics**
Lightweight with 360° swivel and flexible tubing.
- Slim, Oval Triangular Grip**
Ensures improved access and visibility.
- Rocker Switch with Sliding Button**
Telescopic design that slides along the housing for quick adjustments.
- Efficiency Smoke Clearance**
Rapid removal of surgical smoke to maintain a clear operating field.
- Adjustable Length**
The distance between the sliding button and electrode tip smoothly extends from 68MM to 198MM.
- Slide-to-Extend up to 60mm**
By pushing the button forward, the housing can extend up to 60mm to reach deeper into surgical cavities.

68MM-198MM


Hassle-free work-length adjust

Full extension

Pushing the button forward extends the electrode tip, while pulling it backward shortens the reach for precise control.

Adjustable Reach, Efficient Smoke Evacuation

The **SmokeFin Telescopic Smoke Evacuation Pencil** features a sliding button that enables surgeons to instantly adjust the working length from 68mm to 198mm without changing the electrode. Its innovative telescopic mechanism ensures seamless adaptation during procedures, providing superior visibility, enhanced ergonomics, and effortless control.



Accessories

- Nose Cone**
 - 3 sizes of nose cones fit for 63.5/69/120MM electrodes
 - Transparent, equipped with radiopaque identifier (xray-detectable)
- Electrodes**
 - Standard 50MM
 - Optional 63.5/69/120MM
 - Modified blade electrode (shrink wrap insulation), coated or non-coated
- Cable and Tubing**
 - Standard 3 meter or 4.5 meter
 - 22MM filter port adaptor
 - Y-connection
- LLETZ/ LEEP electrode**
 - Compatible with a range of electrode types to suit different surgical procedures

Smoke Evacuation Pencil

- Sterile Packing
- Packing: 5pcs/Box



PRODUCT CODE	HOUSING LENGTH	ELECTRODE LENGTH	BLADE TYPE	CABLE LENGTH(M)	PLUG TYPE
PS300	195MM	50MM	Non-Coated	3M	3 Prong Plug
PS300T	195MM	50MM	Non-Sticked	3M	3 Prong Plug
PS400	195MM	63.5MM	Non-Coated	3M	3 Prong Plug
PS400T	195MM	63.5MM	Non-Sticked	3M	3 Prong Plug
PS500	195MM	69MM	Non-Coated	3M	3 Prong Plug
PS500T	195MM	69MM	Non-Sticked	3M	3 Prong Plug
PS600	195MM	120MM	Non-Coated	3M	3 Prong Plug
PS600T	195MM	120MM	Non-Sticked	3M	3 Prong Plug

Disposable Smoke Evacuation Forceps

Precision Grasping With Smoke Evacuation




2 - In - 1 Solution
for electrosurgery & smoke evacuation
reduces surgical plume




Accessories


Tips Size



Compatible Accessories



Features



Available in Both Bipolar and Monopolar Configurations
Both Bipolar and Monopolar configurations are available catering to different needs.



Smoke Evacuation
Extracting hazardous surgical smoke at the tip of the forceps with incorporated smoke tube.
Non-Evacuation monopolar forceps is also available.



Hand Activation Control
Completely hand-activated control by squeezing and holding the buttons on the sides; Footswitch is not necessary during surgery.



Flexible Tubing and Lightweight
Reducing the operator fatigue while maximizing the flexibility by the integration of smoke tubing with 360° swivel connection.



Tips with Optional PTFE Coating
Reducing the risk of building up eschar on the tips and delivering reliable electrosurgical performance.
PTFE coating is available in Monopolar Forceps to eliminate tissue adhesion further.

Disposable Smoke Evacuation Forceps



PRODUCT CODE	PRODUCT DESCRIPTION	TIP TYPE	TIP SIZE	CABLE LENGTH (M)	PLUG TYPE
FBS001	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.1MM Smooth Tip	3M	Bipolar
FBS005	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.5MM Smooth Tip	3M	Bipolar
FBS006	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	0.75MM Smooth Tip	3M	Bipolar
FBS007	Single Use Hand Switch Bipolar Forceps with Smoke Evacuation	Non-coated	1.2MM Smooth Tip	3M	Bipolar
FMS001	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.1MM Smooth Tip	3M	Monopolar
FMS005	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.5MM Smooth Tip	3M	Monopolar
FMS006	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	0.75MM Smooth Tip	3M	Monopolar
FMS007	Single Use Hand Switch Monopolar Forceps with Smoke Evacuation	Teflon coated	1.2MM Smooth Tip	3M	Monopolar